

# Rapid<sup>®</sup>

SVENSK EFFIXITY

## TOOLS

PRODUCT CATALOGUE





## WELCOME TO RAPID

**We are much more than suppliers of products for your home or professional life. We are advisors and providers of proven concepts that help you with a wide range of tasks. From larger construction projects to quick problem solving, whatever you're looking for, Rapid has it.**

Choosing Rapid means choosing a reliable specialist with proven solutions specially adapted for the user. In order to keep our promises and to ensure quality day after day, we monitor and control the entire value chain, from idea to finished product. The design and development part of this process is built on the solid foundation of our Swedish heritage, with effective and easy solutions as well as a product range filled with a wide variety of products for effective fastening.

Rapid are always close at hand. Our distribution network covers the entire world and in Europe and Asia we have fully-owned production facilities. This gives us global strength with a local presence, making national and regional adaptations of our product range possible. It also makes it possible for us to provide our users with an unsurpassed offer, no matter the market.

Our approach to developing, manufacturing and marketing products is all about efficiency, innovation, quality and simplicity. That's why we've chosen to call our way of doing things 'Svensk Effixity'.



# CONTENTS

## Stapling and Nailing

Hammer Tackers	18 – 19
Manual Staple Guns	20 – 27
Electric Staple and Nail Guns	28 – 31
Pneumatic Staple and Nail Guns	32 – 35
Staple and Nail Guide	36 – 39
Staples and Nails	40 – 53

## Gluing

Glue Guns	56 – 61
Glue Sticks	62 – 67

## Hot Air Guns

68 – 71

## Riveting

Riveting Pliers	72 – 74
Rivets	74 – 77

## Garden Tools

Garden & Fence Pliers	79
Vine Pliers	80
Hog Rings	80 – 81

## Industrial & Print Finishing

Stapling Pliers	82 – 84
Electric Staplers	85 – 86



## DRIVEN BY TRADITION

**Rapid has a long and proud history. This is best explained by the constant care we show for our traditions and our way of doing things - making it easy for our users by offering products that fulfil their ever-changing needs and requirements.**

Ever since we were established in 1936, we've based our company concept on Swedish engineering. Something that translates into – among many other things – reliable quality that simplifies the lives of our users. Our entrepreneurial inheritance is also characterised by being quick to respond and ready to embrace and adapt to the latest needs and demands of the market. We continuously develop and produce new solutions, keeping up with the shifting demands and requirements of our users. We often find ourselves dealing with, and finding, completely new solutions and functions, in addition to adapting existing products to fit current conditions.

Today, Rapid is one of the world's leading fastening specialists and we offer products within three business areas – Office, Tools and Inside Solutions. Our way of thinking, with easy-to-use, effective stapling products, has had a major impact in over 120 countries worldwide, where Rapid has been a part of the Esselte Group since 2010.



## FOR EVERY TODAY, THERE'S A TOMORROW

**Rapid's sustainable development strategy is present in everything we do in our daily work. We call it "Taking Care of Tomorrow".**

The strategy has been designed to enrich our future environment and to ensure Rapid remains a prosperous company. One of the strategy's objectives is making sure our raw material waste never exceeds 1%. We continuously work to reduce carbon dioxide emissions and we carefully monitor the recycling of plastics as well as metal and paper waste in our production facilities. In order to reduce our environmental impact even further, we always measure our water consumption. All said, this is daily work with long-term objectives.

## DISPLAY, GUIDE AND INCREASE SALES

**Rapid's goal is to facilitate for both the user and the reseller in every part of the process. This is clearly visible in how we display our products in stores. Products, packaging and displays are designed to attract interest, inform and guide, because when the store visitor is given relevant information, the chances for a sale increases.**

Broadening scope and seeing the full picture is a Rapid trademark. In the store environment, it should always be clear that we offer customers not only individual products, but also entire fastening systems. Packaging comes with clear and self-explanatory symbols, images and texts that place the products in their correct context and helps them as good as sell themselves. What you see is what you get, in a manner of speaking. This is also why we've chosen to use the semi-open packaging design where we leave a handle or a trigger exposed. A potential user who is guided and informed and who gets to experience the high level of quality and innovative characteristics of the product will become more certain that they're making the right choice. Of course, you already understand that store design and product placement has an impact on sales. Together with Rapid, the conditions can be improved even further. We're not only specialists when it comes to our products, we're also skilled in the art of tailoring solutions that guarantee additional sales. As a part of this, we can offer a thought-through adaptation of the product range – good, better and best – and shelf layout using Space Management.

We can also offer a number of different activities, campaigns and Point of Sales material in order to inspire and guide the user in making the right choice. And of course everything is adaptable to your particular store and other conditions. This truly makes for good business, every day.



Demo shelf for Glue and Hot Air Guns.



Try-me module for our new energy-saving staple gun.



Communication ellipse.

## NAILERS FOR PROFESSIONAL DEMANDS


**It takes something special to offer outstanding nailers for professionals. Like, for instance, fastening experience since 1936.**

Hard work and lifelong experience has taught us what the professionals need when it comes to power, precision and reliability. Our new range of cordless and pneumatic nailers holds our entire specialist knowledge. That's what it takes, to meet the demands of a craftsman.

Read more about our professional nailers at page 29 and 33.



# A POWERFUL PUSH TO SAVE ENERGY



Is it possible to develop staple guns that are easy to fire and simultaneously allow the user to decide how much power should be used? The answer is yes. With Rapid's unique Powercurve® Technology the need for power when firing the gun is lowered by an impressive 65 % and with the three-step power adjustment function, usage is fully optimised. When working with softer materials or shorter staples the gun can be adjusted to deliver less power, whereas when working with harder materials or longer staples power output can be increased. This means that at any given moment you'll never have to press harder than necessary.

Powercurve® Technology has been specially developed in cooperation with leading physiotherapists who have taken into account how the arm's muscles are activated when using a staple gun. This has resulted in a mechanism that is perfectly matched to the hand's power curve. This, together with the 65 % power reduction, lowers the strain on the user from an E (heavy) to an A (very easy) on the official Borg scale. The Borg scale is used to measure how a person experiences work strain and the findings are based on the results of numerous tests where consumers compared new staple guns with other existing, traditional guns on the market.

## MAKE THE RIGHT CHOICE WITH RAPID

With the market's strongest fastening product range, Rapid can offer solutions for any material or any task. Here, you'll find the information that will help you find the right product for your task.



### Stapling

Begin by choosing the right type of staple for the job in hand. Measurements and more details can be found in the staple guide on page 36. After doing so, choose your desired leg length and pick a suitable tool for these particular needs.



### Gluing

Choose the right type of glue for the task. More information on different glue types and their usage can be found on page 62 and forward. After identifying the right glue, choose the tool best suited for your application.



### Riveting

Choose the rivet best suited for the task at hand. Read more in the riveting section of our catalogue on page 74 and forward. After doing so, choose the appropriate dimension and the tool that suits your needs.



## STAPLING AND NAILING

When a customer picks up any Rapid stapling product in any store across the world, they are picking up the best. This is no empty boast. As market leader Rapid consistently outsells and outperforms all competitors. There are a number of reasons why this is the case. Driven by care for our users and a thirst for innovation, our products are fitted with smart functions based on our unique insights into the demands of both professional and DIY usage. Furthermore, the majority of Rapid products are designed and manufactured in Sweden to the highest quality standards – a fact that gives extra peace of mind.



# HAMMER TACKERS

Sometimes the task at hand involves quick fastening of materials with a large number of staples. This is where our hammer tackers represent the best choice. At Rapid we've amassed a wealth of experience producing some of the market's best, high quality hammer tackers. From our Swedish production facility, our range brings every user a wealth of smart, helpful features, such as bounce-back technology that makes the hammer bounce back thanks to the recoil. This significantly reduces strain on the user since it means less physical exertion. Additionally, an ergonomic handle contributes to smoother operation making any task easier and increasing working efficiency.

Suitable for: building materials such as roofing felt, moisture barriers, insulation plastic and wind protection.



## R311



**140** Staple  
6–12 mm

Description	Art. No.	EAN Code	Units
Box	5000004	4051661000058	10
Clamshell	5000005	4051661000065	4

**PRO**

Hammer tacker with superior precision and working life. Ideal for fastening of roofing and insulation material and damp proof coursing.

- Bottom loaded quick-load mechanism with no loose parts
- Reversible staple driver for long working life
- Large buffer plate protects the material in work
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden
- 2 year guarantee

## R54



**140** Staple  
10–14 mm

Description	Art. No.	EAN Code	Units
Box	10566826	7313465668269	10
Clamshell	21121100	7313465668047	5

**PRO**

Powerful, professional hammer tacker able to deliver extra long staples with precision. Ideal for high-frequency fastening of roofing and thicker insulation material or rubber/ textile flooring.

- Large buffer plate protects the material in work
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden
- 2 year guarantee

## R11



**140** Staple  
6–10 mm

Description	Art. No.	EAN Code	Units
Box	20725901	7313467259014	10
Clamshell	20725902	7313467259021	5

**PRO**

Powerful, precision hammer tacker for demanding professional applications. Ideal for high-frequency jobs such as fastening roofing and insulation material.

- The original R11 Hammer tacker
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden
- 2 year guarantee

## R19



**13** Staple  
4–6 mm

Description	Art. No.	EAN Code	Units
Box	20726001	7313467260010	10
Clamshell	20726002	7313467260027	5

**PRO**

Lightweight, easily handled hammer tacker perfect for regular, demanding use. Ideal for fastening of labels, posters, textiles, plastic wrap or insulation material.

- Quick and easy bottom-loading with no loose parts
- Well balanced with non-slip ergonomic handle
- All steel, heavy-duty construction
- Made in Sweden
- 2 year guarantee

## R311 Hammer Tacker Holster



Description	Art. No.	EAN Code	Units
R311 Hammer Tacker Holster	5000097	4051661002007	1

High quality hammer tacker holster especially designed for our R311 model. Keeps your hammer tacker safely stored and always within reach. Increases working efficiency and workplace safety.

- Tough stitching and robust waterproof nylon
- Riveted for high durability
- Reinforced with anti-slip fabric and steel mesh webbing
- 2 year guarantee

# MANUAL STAPLE GUNS

Our comprehensive, market-leading product range caters for demanding professionals and DIY enthusiasts alike and has been developed to cover all situations and requirements. Our staple guns may be used once a month or eight hours a day. They may be used for tough, outdoor construction tasks or the most delicate of interior or hobby work. Whatever your requirements are, our market-leading expertise and experience means we can offer a solution that gets the job done. In addition, we bring you unique innovations such as our Powercurve® Technology. Of course, the majority of Rapid staple guns are Swedish made and deliver quality and unequalled durability – everything that makes life easier and more effective for the user, whatever the task they face.

Suitable for: textiles, building materials, low-voltage cables, moisture barriers and thinner wood.



## R34



Description	Art. No.	EAN Code	Units
Box	10595721	7313465957219	6
Clamshell - West	20511550	7313465115503	5
Clamshell - East	5000067	4051661000775	5
Case incl staples	24043800	7313460438003	5

**PRO**

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening thinner boards, Masonite, insulation material and damp proof coursing.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee



## R14



Description	Art. No.	EAN Code	Units
Box	5000438	4051661015151	6
Clamshell - West	20511450	7313465114506	5
Clamshell - East	5000066	4051661000768	5

**PRO**

Light, easy to use metal staple gun ideal for demanding professional jobs and precision operation. Use for fastening insulation, damp proof coursing, plastic wrap, tarpaulin and cardboard.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee



## ALU840



Description	Art. No.	EAN Code	Units
Box	22876001	7313468760014	7
Clamshell - West	22876000	7313468760007	5
Clamshell - Neutral	5000088	4051661000980	5
Case incl staples	22876002	7313468760021	12

**PRO**

Powerful, ergonomically superior aluminium staple gun for demanding use. Suitable for many tough jobs including insulation, damp proof coursing, plastic wrap and cardboard.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Aluminium casing and all-steel wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic soft grip handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 5 year guarantee



## ALU940



Description	Art. No.	EAN Code	Units
Clamshell - West	5000518	4051661017575	3
Clamshell - East	5000519	4051661017605	3

For home and DIY users seeking professional performance levels, the ALU940 is a newly developed, revolutionary staple gun, which is up to 65% easier to fire compared with conventional staple guns. Suitable for insulation materials, damp proof coursing and thinner boards.

- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 65% easier to squeeze
- Patented 3 step force adjuster for perfect force optimization
- Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for flatwire staples and brads
- 3 year guarantee

## ALU740



Description	Art. No.	EAN Code	Units
Clamshell - West	25072310	7313460723109	3
Clamshell - East	25072311	7313460723116	3

Robust, aluminium staple gun for DIY and home projects. Suitable for insulation materials, damp proof coursing and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Cast aluminium body
- All-steel wear parts inside
- Soft grip areas
- Dual magazine for flatwire staples and brads
- 3 year guarantee

## R64



Description	Art. No.	EAN Code	Units
Clamshell - West	21000860	7313460008602	10
Clamshell - East	5000069	4051661000799	10

Light, easy to handle staple gun for DIY and home projects. Suitable for insulation materials, damp proof coursing and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Patented brad control
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 3 year guarantee

## R44



Description	Art. No.	EAN Code	Units
Insulation Kit incl staples	5000624	4051661020131	8

Easy to use kit including staple gun and staples. Ideal for fastening of insulation materials and plastic foil as well as other roofing applications. Delivered with flatwire staples specifically designed for insulation material.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- Including 970 pcs of 140/8 staples
- 3 year guarantee

## R33




Description	Art. No.	EAN Code	Units
Box	10582521	7313465825211	6
Clamshell - West	20510650	7313465106501	5
Clamshell - East	5000059	4051661000690	5

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening of heavy textiles, carpet and netting.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

**PRO**

## R30



Description	Art. No.	EAN Code	Units
Clamshell - West	20510850	7313465108505	5

Precision performance, professional level staple gun that features a long, extended nose. Ideal for use on uneven, awkward surfaces where a standard staple gun might have difficulty accessing. Suitable for fastening of weather strips, textiles, netting.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- Projection nose to access corners
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

**PRO**

## R23



Description	Art. No.	EAN Code	Units
Box	10600521	7313466005216	6
Box - Asian language version	5000110	4051661002090	6
Clamshell - West	20510450	7313465104507	5
Clamshell - East	5000058	4051661000683	5

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for furniture upholstery or fastening of thinner fabrics, paper, labels.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

**PRO**

## ALU913




Description	Art. No.	EAN Code	Units
Clamshell - West	5000603	4051661019920	3
Clamshell - East	5000732	4051661022388	3

For home and DIY users seeking professional performance levels, the ALU913 is a newly developed, revolutionary staple gun, which is up to 65% easier to fire compared with conventional staple guns. Suitable for furniture upholstery, decorative work or thinner boards.

- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 65% easier to squeeze
- Patented 3 step force adjuster for perfect force optimization
- Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee

## R83



Description	Art. No.	EAN Code	Units
Clamshell - West	20011550	7313460115508	10
Clamshell - East	5000075	4051661000850	10

Light, easy to handle staple gun for DIY and home projects. Suitable for furniture upholstery, carpets, quilts and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 3 year guarantee

## R13



Description	Art. No.	EAN Code	Units
Box	20443901	7313464439013	6
Clamshell - West	20443950	7313464439501	10
Clamshell - East	5000057	4051661000676	10

Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee

## R353



Description	Art. No.	EAN Code	Units
Box	10640125	7313466401254	6
Clamshell - West	20511250	7313465112502	5
Clamshell - East	5000063	4051661000737	5
Case incl staples	24054600	7313460546005	5

Powerful, no compromises staple gun. Designed for demanding professional applications and precision operation. Ideal for fastening of heavy textiles, carpet and netting.

- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

PRO

## R153



Description	Art. No.	EAN Code	Units
Box	10602125	7313466021254	6
Clamshell - West	20511050	7313465110508	5
Clamshell - East	5000061	4051661000713	5

Light, easy to use metal staple gun ideal for demanding, professional jobs and precision operation. Use for furniture upholstery or fastening of thinner fabrics, paper, labels.

- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

PRO

## ALU853



Description	Art. No.	EAN Code	Units
Clamshell - West	23235400	7313462354004	5
Clamshell - Neutral	5000082	4051661000928	5

Powerful, ergonomically superior aluminium staple gun for demanding use. Suitable for repetitive jobs including fastening of textiles, carpets, leather or labels.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Aluminium casing and all-steel wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic soft grip handle with lock function for easy storage
- Dual magazine for finewire staples and brads
- Made in Sweden
- 5 year guarantee

PRO

## ALU953



Description	Art. No.	EAN Code	Units
Clamshell - West	5000516	4051661017513	3
Clamshell - East	5000517	4051661017544	3

For home and DIY users seeking professional performance levels, the ALU953 is a newly developed, revolutionary staple gun, which is up to 65 % easier to fire compared with conventional staple guns. Suitable for furniture upholstery, decorative work or thinner boards.

- Patented Powercurve® Technology - follows the hand's natural power curve exactly
- Up to 65 % easier to squeeze
- Patented 3 step force adjuster for perfect force optimization
- Cast aluminium body
- All-steel wear parts inside
- Ergonomic handle with comfortable soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee

## ALU753



Description	Art. No.	EAN Code	Units
Clamshell - West	25120800	7313461208001	3
Clamshell - East	25120801	7313461208018	3

Robust, aluminium staple gun for DIY and home projects. Suitable for diverse textile types and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Cast aluminium body
- All-steel wear parts inside
- Soft grip areas
- Dual magazine for finewire staples and brads
- 3 year guarantee

## ALU610




Description	Art. No.	EAN Code	Units
Clamshell - West	40107318	3221631073189	6

Created for smart, effective home and DIY use. Features a reversed trigger that allows it to be fired even without a stable, even surface underneath. Ideal for stapling near edges and for upwards positioning roof decoration work.

- Reverse firing technology
- Cast aluminium body
- All-steel wear parts inside
- 3 year guarantee

## MS4.1



Description	Art. No.	EAN Code	Units
Clamshell - West	24510600	7313465429501	10
Clamshell - East	5000065	4051661000751	10
Clamshell incl 4 packs of staples	22542960	7313465429600	3

Effective all-round solution with four functions in one. With a simple adjustment, it can be set to tackle normal stapling, brad or cable fastening. Ideal for furniture upholstery, thinner boards and skirting as well as low voltage cables.

- Multi magazine for finewire staples, cable staples, brads and pins
- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Projection nose to access corners
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee

## MS2.1



Description	Art. No.	EAN Code	Units
Clamshell - West	5000625	4051661020162	10

Highly flexible staple gun that can tackle both normal and cable fastening with confidence. Ideal for regular use when fastening low voltage cables. Can also be used for work with diverse textile types.

- Dual magazine for finewire staples and cable staples.
- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- Projection nose to access corners
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee

## R453



Description	Art. No.	EAN Code	Units
Box	20009502	7313460095022	6
Clamshell - West	20009550	7313460095503	10
Clamshell - East	5000064	4051661000744	10

Light, easy to handle staple gun for DIY and home projects. Suitable for furniture upholstery, carpets, quilts and thinner boards.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Dual magazine for flatwire staples and brads
- Made in Sweden
- 3 year guarantee

## R253



Description	Art. No.	EAN Code	Units
Clamshell - West	20009450	7313460094506	10
Clamshell - East	5000062	4051661000720	10

Light, easy to handle staple gun for DIY and home projects. Suitable for furniture upholstery, carpets and quilts.

- 2-step force adjuster can be set to reflect different types of material and the length of staple being used.
- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee

## R53



Description	Art. No.	EAN Code	Units
Box	20443802	7313464438023	6
Clamshell - West	20443850	7313464438504	10
Clamshell - East	5000060	4051661000706	10
Blister case incl staples	20443852	7313464438528	15
X-Ray Sea Blue, Clamshell	20443830	7313464438306	6

Light, easy to handle staple gun for home projects or easier professional jobs. Ideal for furniture upholstery, decorative work with diverse textile types or fastening of quilts, posters or leather.

- All-steel wear parts inside
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 3 year guarantee

## R28



Description	Art. No.	EAN Code	Units
Box	20511710	7313465117101	6
Clamshell - West	20511750	7313465117507	5
Clamshell - Neutral	5000089	4051661000997	5

Superior cable gun for diverse, demanding professional jobs and precision operation. Specially designed for low voltage cables up to 4.5 mm in diameter such as speaker or alarm cables. Can be set to reflect the material's hardness or cable diameter.

- For 4.5 mm cable
- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

PRO

## R36



Description	Art. No.	EAN Code	Units
Box	20511811	7313465118115	6
Clamshell - West	20511850	7313465118504	5
Clamshell - East	5000070	4051661000805	5

Superior cable gun for diverse, demanding professional jobs and precision operation. Specially designed for low voltage cables up to 6 mm in diameter such as speaker or alarm cables. Can be set to reflect the material's hardness or cable diameter.

- For 6 mm cable
- 40 % easier to operate thanks to a patented easy to squeeze trigger with 3-step force adjuster.
- All-steel casing and wear parts inside
- Smooth functioning loading system and recoilless mechanism
- Ergonomic handle with lock function for easy storage
- Made in Sweden
- 5 year guarantee

PRO

## R3 Staple remover



Description	Art. No.	EAN Code	Units
Clamshell	20000702	7313460007025	24

Easy to use staple remover for professional or DIY and home use. Able to pull out almost any kind of staple without damaging surrounding material.

- Steel wear parts
- Vice jaw grip
- Ergonomic handle
- 2 year guarantee

# ELECTRIC STAPLE AND NAIL GUNS

No matter the job in hand, Rapid's electric staple and nail guns deliver quality performance and precision fastening. Designed to cater for a broad spectrum of users and applications, we offer a highly comprehensive selection to the market. Like every Rapid product, the range has its starting point in outstanding ergonomics, performance and user-focused features. Furthermore, they are maintenance-free, and able to fasten materials quickly and with high accuracy. We even supply cordless models that offer outstanding user mobility. As well as including electric and battery powered models for more everyday tasks, our professional range also offers solutions specifically created for finishing work.


Suitable for: upholstery, panelling, skirting board, mouldings and other finishing applications.



**PRO**



## BN64



Description	Art. No.	EAN Code	Units
Case	5000837	4051661024566	2


Powerful cordless performance for professional users. Optimal freedom of movement and increased access into corners thanks to a 20° angled magazine. Battery operated brad nailers lets the user avoid complicated gas-driven solutions. Ideal for skirting board, architrave and window trim, tongue and groove panelling, flooring, wall or indoor roofing panels.

- 20° angled magazine for easy access into corners
- 18 V Li-Ion battery (2 pcs x 2 Ah included)
- Instant trigger response for reduction of work time
- Dry-fire control
- Two-step sequential firing for safety
- Adjustable depth penetration
- More than 500 nails capacity per battery charge (2 Ah)
- Batteries are re-charged to at least 80 % in 45 mins with supplied quick charger
- Fly-wheel drive for high power and reliability
- Non-marking rubber pad to protect from scratching
- Quick-release hinge for tool free removal of jams
- 2 year guarantee

**PRO**



## BN50



Description	Art. No.	EAN Code	Units
Case	5000836	4051661024559	2

Professional quality cordless brad nailer offering optimal freedom of movement and performance. Battery operated brad nailers lets the user avoid complicated gas-driven solutions. Ideal for fitting skirting board, architrave and window trim, tongue and groove panelling.

- 18 V Li-Ion battery (2 pcs x 2 Ah included)
- Instant trigger response for reduction of work time
- Push-button magazine opening for quick change of nails
- Two-step sequential firing for safety
- Adjustable depth penetration
- More than 500 nails capacity per battery charge (2 Ah)
- Batteries are re-charged to at least 80 % in 45 mins with supplied quick charger
- Fly-wheel drive for high power and reliability
- Non-marking rubber pad to protect from scratching
- Quick-release hinge for tool free removal of jams
- 2 year guarantee

**PRO**



## Batteries for BN64 & BN50

Description	Art. No.	EAN Code	Units
A2000 Battery 2000 mAh	5000838	4051661024573	50
A3000 Battery 3000 mAh	5000839	4051661024580	20

Spare 18 V Li-Ion battery for Rapid brad nailers BN50 and BN64. Available as 2 Ah and 3 Ah.

- Standard 2 Ah - more than 500 brads on a full charge.
- Extra powerful 3 Ah - more than 800 brads on a full charge.
- LED power indicator light
- Recharge in less than 1 hour with the Rapid quick charger

**PRO**



## R606



Description	Art. No.	EAN Code	Units
Box	10643001	7313466430018	5
Box - UK plug	10643003	7313466430032	5
Box - CH plug	5000728	4051661022715	5
Case incl staples	10643015	7313466430155	2

For powerful stapling and nailing to precision, professional standards. High performance over a long, demanding working life. Perfect for smaller wood constructions such as picture frames, drawers or fastening panelling.

- Adjustable impact setting through Focused Power – the higher the power, the harder the stapling
- Removable front plate for easy removal of jammed staples
- Including guide-plate to aid panel clip mounting
- Recoil free action
- Safety trigger
- Long 3.5 meter cord
- Dual magazine for narrow crown staples and brads
- 2 year guarantee

## R214



Description	Art. No.	EAN Code	Units
Box	24171201	7313461712010	5
Box - UK plug	5000121	4051661002397	5

**PRO**

Powerful, robust staple gun designed for regular, professional use and precision operation. Effective when used for securing thinner wood or Masonite. Also ideal for cartons, plastic wrap or paper that requires secure fastening characteristics.

- Adjustable impact setting through Focused Power – the higher the power, the harder the stapling
- Removable front plate for easy removal of jammed staples
- Recoil free action
- Safety trigger
- Long 3.5 meter cord
- 2 year guarantee

## ESN114



Description	Art. No.	EAN Code	Units
Case	5000131	4051661002786	3
Case - UK plug	22275002	7313462750028	3
Case - CH plug	5000725	4051661022623	3

An easy to manage, powerful electric staple gun for more demanding projects around the house. Effective with cartons, plastic wrap or paper that requires secure fastening characteristics.

- Flat front makes it easy to staple close to a wall
- Long working life with hardwearing parts in steel
- Ergonomic design with soft grip handle
- Safety trigger
- 2.5 meter cord
- Dual magazine for flatwire staples and brads
- 2 year guarantee

## E-Tac



Description	Art. No.	EAN Code	Units
Box	5000572	7313462760010	5
Clamshell	5000573	7313462760102	5
Clamshell - CH plug	5000575	7313462760157	5
Case incl staples	5000576	7313462760164	7

A light, comfortably handled electric staple gun for simpler use around the house. Ideal for fastening thinner wooden material, carton or plastic wrap.

- Ergonomic design
- Safety nose contact to prevent accidental firing
- Dual magazine for flatwire staples and brads
- 2 year guarantee

## R553



Description	Art. No.	EAN Code	Units
Box	10642901	7313466429012	5
Box - CH plug	5000727	4051661022685	5
Case incl staples	10642912	7313466429128	2

**PRO**

Powerful, robust staple gun designed for regular, professional use and precision operation. Ideal for furniture upholstery work or other types of fabric, carpets, leather or more sensitive textiles.

- Adjustable impact setting through Focused Power – the higher the power, the harder the stapling
- Removable front plate for easy removal of jammed staples
- Recoil free action
- Safety trigger
- 3.5 meter cord
- Dual magazine for finewire staples and brads
- 2 year guarantee

## BTX530



Description	Art. No.	EAN Code	Units
Case - West	5000128	4051661002755	3
Case - East	5000217	4051661008405	3
Case - UK plug	5000214	4051661008351	3

Multi-application, battery powered mobile staple gun ideal for home and DIY jobs. Cordless operation for more freedom of movement. Perfect for everyday use and tasks such as furniture upholstery, textile work or fastening carpet, leather or thinner wooden material

- High battery performance with a 7.2 V Li-Ion battery and fast recharging
- Fires more than 1300 staples per full charge
- Ergonomic design with soft grip handle and perfect balance
- Adjustable Power
- Safety nose to prevent accidental firing
- Dual magazine for finewire staples and brads
- 2 year guarantee

## Battery for BTX530



Description	Art. No.	EAN Code	Units
A530 Battery for BTX530	5000182	4051661007415	20

Extra 7.2 V Li-Ion battery for BTX530. Easy removal and attachment.

- 7.2 V, 1300 mAh
- Easy click battery
- No self-discharge

## ESN530



Description	Art. No.	EAN Code	Units
Hangbox	22275601	7313462756013	4
Case	5000129	4051661002762	3
Case - UK plug	22275602	7313462756020	3
Case - CH plug	5000726	4051661022654	3

An easy to manage, powerful electric staple gun for more demanding projects around the house. Effective with textile work, leather or thinner wooden material.

- Flat front makes it easy to staple close to a wall
- Long working life with hardwearing parts in steel
- Ergonomic design with soft grip handle
- Safety trigger
- 2.5 meter cord
- Dual magazine for finewire staples and brads
- 2 year guarantee

## E100



Description	Art. No.	EAN Code	Units
Clamshell	5000578	7313463715002	4
Clamshell - CH plug	5000717	4051661022593	4

Light, comfortably handled electric staple gun perfect for simpler tasks around the house. Ideal for furniture upholstery work, textile decoration tasks or fastening thinner wooden material.

- Ergonomic design
- Safety nose contact to prevent accidental firing
- Dual magazine for finewire staples and brads
- 2 year guarantee



# PNEUMATIC STAPLE AND NAIL GUNS

When the job demands high-tempo, precision fastening, Rapid's pneumatic staple and nail guns always deliver the best results. Our range covers all needs, from simpler fastening tasks and jobs around the house to professional applications and more specific challenges such as framing or roofing. Our powerful, efficient products make working with long-leg staples easy and trouble-free. Every model is characterised by ergonomic performance enabled by lightweight construction, great balance and smartly designed, easy-to-use handles - and of course, we have also prioritised performance, user-focused features and creating a selection of models that covers many different types of staples and nails. Together these features deliver outstanding working efficiency and user comfort, whatever the job.

Suitable for: framing, roofing, panelling, upholstery, mouldings.



**PRO**

Durable, powerful and well-balanced professional pneumatic framing nailer. Ideal for applications such as nailing studs, rafters, ridge boards, parquet flooring, terrace and decking.

- Drive nails from 50 to 90 mm
- 34° Easy access angled magazine
- Dry-Fire Lockout
- Light-weight magnesium housing
- Full sequential actual firing
- Top loading magazine
- 360° exhaust deflector
- Adjustable depth penetration
- 360° rotating coupling
- Anti-slide pad
- 2 year guarantee



## PFN3490

Description	Art. No.	EAN Code	Units
Case	5000791	4051661023675	2

**PRO**

Powerful and professional pneumatic coil nailer that always delivers robust performance and everyday reliability. Packed with operational muscle, this is the perfect solution for demanding tasks such as framing, sheathing, decking, sub-flooring and working with crates, pallets or box assembly.

- Drive nails from 50 to 90 mm
- High load capacity
- 3-step coil adjust mechanism
- Light-weight magnesium housing
- Full sequential actual firing
- Debris shield device
- Belt hook
- Adjustable depth penetration
- 360° rotating coupling
- Anti-slide pad
- 2 year guarantee



## PCN90

Description	Art. No.	EAN Code	Units
Case	5000792	4051661023682	2

**PRO**

Powerful and compact pneumatic roofing coil nailer for professional use. Capable of working with a wide variety of roofing materials. Use with confidence and precision on shingles, exterior drywall, insulation board, fibre cement applications, soft wood and steel.

- Drive nails from 19 to 45 mm
- Perfect drive mechanism
- Last nail magnetic anti-drop device
- Light-weight magnesium housing
- Full sequential actual firing
- Shingle placement guide
- 360° exhaust deflector
- Adjustable depth penetration
- 360° rotating coupling
- Anti-slide pad
- 2 year guarantee



## PCN45

Description	Art. No.	EAN Code	Units
Case	5000793	4051661023699	2

## PB161



Description	Art. No.	EAN Code	Units
Case	5000104	4051661001857	2

### PRO

This pneumatic brad nailer is the professional's choice for high tempo, intensive jobs. Ideal for parquet flooring, balcony and terrace fixing and furniture work.

- Drive brads up to 64 mm
- Sequential actuation trigger
- Angled magazine 34° for better access
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
- Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad to protect work surfaces
- Easy-to-Clear Mechanism – to remove jams fast and easy
- Comfort grip
- Incl safety glasses, oil pot, wrenches and start set of 300 brads of 50 mm.
- 2 year guarantee

## PBS151



Description	Art. No.	EAN Code	Units
Case	5000103	4051661001840	4

### PRO

Professional level dual narrow crown pneumatic stapler and nailer. Ideal for high tempo furniture, panelling, cabinet making, finishing and trim work.

- Shoot staples up to 40 mm and brads up to 50 mm
- Contact actuation trigger
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
- Quick loading system
- Comfort grip
- Dual magazine for narrow crown staples and brads
- Incl safety glasses, oil pot, wrenches and start set of 200 staples of 25 mm and 200 brads of 30 mm.
- 2 year guarantee

## PS141




Description	Art. No.	EAN Code	Units
Case	5000095	4051661001758	5

### PRO

Professional, powerful, precise pneumatic stapler with an elongated nose. Ideal for intensive work on upholstery, padding and all kinds of fabric.

- Shoot industrial staples up to 16 mm
- Contact actuation trigger
- Low air consumption < 0,3 l
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong, lightweight magnesium body and compact size offer easier handling and operation
- Long nose for precision work
- No-mar pad – to protect work surfaces
- Comfort grip
- Incl safety glasses, oil pot, wrenches and start set of 300 staples of 10 mm
- 2 year guarantee

## PB131



Description	Art. No.	EAN Code	Units
Case	5000054	4051661000607	4

### PRO

Professional pneumatic brad nailer, designed for frequent use and high tempo work. Ideal for wood panelling, door frames, wooden terrace planks and furniture construction.

- Shoot brads up to 50 mm
- Sequential actuation trigger
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
- Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad – to protect work surfaces
- Comfort grip
- Incl safety glasses, oil pot, wrenches and start set of 300 brads of 30 mm
- 2 year guarantee

## PBS121



Description	Art. No.	EAN Code	Units
Case	5000053	4051661000591	4

Premium quality, highly versatile pneumatic nailer and stapler perfect for high tempo jobs. Designed for demanding DIY users. Use for panelling work, furniture repair, refurbishing and finish and trim jobs.

- Sequential actuation trigger
- Low air consumption < 0,8 l
- 360° adjustable air exhaust – keeps dust away from the work surface
- Strong and durable light weight magnesium mainbody
- Adjustable-depth-of-drive mechanism
- Quick loading system
- No-mar pad to protect work surfaces
- Easy-to-Clear Mechanism – to remove jams fast and easy
- Comfort grip
- Dual magazine for narrow crown staples and brads
- Incl safety glasses, oil pot, wrenches and start set of 200 staples of 25 mm and 200 brads of 25 mm.
- 2 year guarantee

## PS111



Description	Art. No.	EAN Code	Units
Case	5000052	4051661000584	5

Pneumatic stapler ideal for high tempo work with insulation material, plastic sheeting, cardboard packaging and much more.

- Shoot flat wire staples up to 16 mm, ideal for soft insulation
- Contact actuation trigger
- 360° adjustable air exhaust keeps dust away from working surfaces.
- Strong and durable light weight magnesium mainbody
- Long nose for precision work
- Low air consumption < 0,3 l
- Quick loading system – to reload consumables fast
- No-mar pad – to protect work surfaces
- Incl safety glasses, oil pot, wrenches and start set of 300 staples of 10 mm
- 2 year guarantee

## PS101



Description	Art. No.	EAN Code	Units
Case	5000051	4051661000577	5

Pneumatic stapler ideal for high tempo work with textiles, leather, tapestries, labelling and lighter joinery tasks.

- Shoot fine wire staples up to 16 mm, ideal for all renovation
- Contact actuation trigger
- 360° adjustable air exhaust keeps dust away from working surfaces.
- Strong and durable light weight magnesium mainbody
- Long nose for precision work
- Low air consumption < 0,3 l
- Quick loading system – to reload consumables fast
- No-mar pad – to protect work surfaces
- Incl safety glasses, oil pot, wrenches and start set of 300 staples of 10 mm
- 2 year guarantee

# STAPLE AND NAIL GUIDE

Find the right type of staple and nail – our guide makes it easy to find the model that aligns with your needs.


Printed on every product, you'll find the information you need to match the product with the right staple or nail. On this page you can read how to determine the correct leg length. The tables below contain information on different staple and nail dimensions. The guide on the following three pages shows which staple or nail that goes into which Rapid tool, as well as options for other, non-Rapid brands.

	140	13	53	28	36	7	606	1	11	12	53F	958	970
<b>A</b> mm	10.6	10.6	11.4	6.3	7.7	7.8	6	10.2	11.7	12.95	11.3	13	12.3
<b>B</b> mm	6-16	4-20	4-20	9-11	10-14	12-14	12-30	8-10	10	6-16	6-14	6-12	6-14
<b>C</b> mm	1.3	0.7	0.75	1.3	1.3	1.22	1.1	1	1.25	0.95	1.25	0.7	1.25


	980	BMN	90	8	9	16	16A	21P	21B	32	34	45	50
<b>A</b> mm	13	11.2	5.7	2	1	2.8	2.8	0.8	1.5	3.1	7.0	9.5	5.8/7
<b>B</b> mm	8-14	6-14	20-40	15-50	15	14-50	32-64	20-30	20-40	32-64	50-90	19-45	50-90
<b>C</b> mm	1.25	0.75	1.27	1.25	1.25	1.62	1.62	0.8	0.8	1.8	2.8/3.1	3.0	2.5/2.8/3.1

## Choose the correct leg length


The thickness and the type of material are determining the length of the staple or nail to be used:



**Standard rule**  
A staple or nail should be 3 times as long as the material to be fixed. Add another 5 mm on the nail.



**Hardwood / hard material**  
For supporting constructions made from hardwood a staple which is twice as long as the material to fix is sufficient. A nail should be 3 times as long as the material to be fixed.



**Fine / thin material foil or fabric**  
To fix fine and thin material a staple which is 4 mm longer than the material is ideal. A round head nail should be 6 mm longer than the material to be fixed.

# COMPATIBILITY CHART

## Rapid

Alu610 / MS610	4-10 mm	4-10 mm
Alu740	6-14 mm	15 mm
Alu753	6-14 mm	15 mm
Alu840 / MS840	6-14 mm	15 mm
Alu853 / MS853	6-14 mm	15 mm
Alu913	6-14 mm	15 mm
Alu940	6-14 mm	15 mm
Alu953	6-14 mm	15 mm
BN50	25-50 mm	
BN64	32-64 mm	
BTX530	6-14 mm	15 mm
Compacta	6-14 mm	
E100	6-14 mm	15 mm
E-tac	6-14 mm	15 mm
EcoTacker	4-8 mm	4-8 mm
EN330	15-30 mm	
EN50	15-50 mm	
ES130	6-14 mm	15 mm
ES140	6-14 mm	15 mm
ESN113	6-14 mm	15 mm
ESN114	6-14 mm	15 mm
ESN530	6-14 mm	15 mm
Hobbytacker	4-8 mm	
Hobbytacker Dual	6-12 mm	15 mm
Hobbytacker Electric	6-14 mm	15 mm
MS2.1	6-12 mm	12-14 mm
MS4.1	6-12 mm	12-14 mm
	15 mm	15 mm
MS813	6-14 mm	15 mm
Multitacker	6-12 mm	8 mm
	12-14 mm	15 mm
PB131	15-50 mm	
PB161	32-64 mm	
PBS121	12-30 mm	15-30 mm
PBS151	20-40 mm	15-50 mm
PCN45	19-45 mm	
PCN90	50-90 mm	
PFN3490	50-90 mm	
PN15-30	15-30 mm	
PN15-50	15-50 mm	
PN21-40	20-40 mm	15-30 mm
PN32-65	32-64 mm	
Pneumatic 18G	15-30 mm	

Pneumatic 18G+	15-50 mm	
PS6-16	6-16 mm	
PS101	6-16 mm	
PS111	6-16 mm	
PS141	6-16 mm	
PS1280	6-16 mm	
PSN15-30	12-30 mm	15-30 mm
PSN20-50	20-40 mm	20-50 mm
R11	6-10 mm	
R13	4-10 mm	
R14	6-8 mm	
R19	4-6 mm	
R23	4-8 mm	
R28	9-11 mm	
R30	6-8 mm	
R33	6-14 mm	
R34	6-14 mm	
R36	10-14 mm	
R44	6-14 mm	
R53	4-10 mm	
R54	10-14 mm	
R64	6-14 mm	15 mm
R83	6-14 mm	15 mm
R153	4-8 mm	
R211	6-12 mm	
R213	8-20 mm	15-20 mm
R214	8-16 mm	
R253	6-14 mm	
R311	6-12 mm	
R353	6-14 mm	
R453	6-14 mm	15 mm
R553	8-20 mm	15-20 mm
R606	12-25 mm	15-25 mm

## AEG

Powertac 14	6-14 mm	
Powertac 16	6-14 mm	15 mm
Powertac 18	8-18 mm	8-18 mm
Powertac 19	8-18 mm	20 mm
	12-18 mm	
Powertac 30	18-30 mm	15-30 mm

## Alsafix

C28 / 70P1, C29 / 70P1	50-65 mm	
C31 / 45P2	19-45 mm	
C33 / 80P1	50-75 mm	

C38 / 90P1	50-90 mm	
C38 / 100	65-90 mm	
C38 / 130	75-90 mm	
D38 / 100P1, D90G1	50-90 mm	

## Arrow

ETF50PBN, T50PBN, Powershot 8000, Powershot 5700, 9000, 9100	6-14 mm	15 mm
ETN50, ET50, ETC50, ET501, ETFX50, HT50P, T50, T55	6-14 mm	
JT21M/CM	6-10 mm	
HT30	6-10 mm	
T18	9-11 mm	
T27	6-10 mm	
T25	12-14 mm	12-14 mm
T2025	12-14 mm	12-14 mm
T30, T32	6-10 mm	
T500C	10-14 mm	
TACMATE T50X, TRUTAC TT50	6-12 mm	
TRUTAC TT21	6-10 mm	
TACMATE T50elite, T50 R.E.D.	6-14 mm	15-25 mm
P22	6-8 mm	
Powershot 5650	6-10 mm	
WIREMATE T25X	12-14 mm	
ET2025	10-12 mm	
HT50i R.E.D., HT55	6-10 mm	
HTX50	8-12 mm	

## Bea

101DC, 102DC	65-90 mm	
130DC	75-90 mm	
554DC	19-45 mm	
566DC, 567DC, 570DC, 700DC, 730DC	50-65 mm	
830DC	50-75 mm	
900DC, 903DC	50-90 mm	
D100-934C	50-90 mm	
S125-569	15-25 mm	
SK325-521	15-25 mm	
SK335-201, SK355-201GL	15-35 mm	
SK338-616	25-35 mm	
SK350-224C	20-50 mm	
SK350-651E	15-50 mm	
SK355-212	15-50 mm	
SKDA663-771	25-64 mm	

## Black & Decker

A5751	6-8 mm	
A5752	6-14 mm	
A5918, BD418, DN418, KX418E	6-14 mm	14 mm
A5980	6-10 mm	

## Black & Decker

BDBN202		15-50 mm
BD428, DN428, KX428E		15-30 mm
Powershot		6-14 mm 15 mm

## Bosch

GSK 18V-Li		32-64 mm
HT8, HMT53		4-8 mm
HT14		4-14 mm
HMT57		6-10 mm
PTK14E		6-14 mm 15 mm
PTK19E		8-18 mm 15-20 mm
PTK19E		12-18 mm 8-18 mm
PTK23E		15-18,5 mm
PTK23E		12-18 mm 12-23 mm
PTK28E		12-20 mm 12-25 mm
PTK 3,6		6-14 mm 15 mm
PTK 3,6 Li		4-10 mm

## Bostitch

BF33-E, GF33PT-E, F33PT-E, F33PTSM-E		50-90 mm
IC60-1-E, N58C-1-E		50 mm
N400-1-E, N401C-1-E, N89C-1-P-E, N89C-2K-E		50-90 mm
N64084-1-E, N64099-1-E, N66C-2-E, N70CB-1-E, N71C-1-E		50-65 mm
N75C-2-E, N75CWN-1-E, N8090CB-1ML-E, N80CB-1ML-E		50-75 mm
RN46K-2-E, RN46K-1-E, RN46DW-1-E		19-45 mm
GBT1850, SB-1850BN, BT1855-E, BT50B-1, BT1855SP-E		15-50 mm
SB-1842BN		15-40 mm
BT35B-1, SB-2in1		15-35 mm
N62FN5P-E, N62FNB-E		32-64 mm

## Dewalt

DC608		25-50 mm
DC618, DCN660, DPN1664PP		32-64 mm
DCN690, DCN691, DCN692, DW325PT		50-90 mm
D51238		25-50 mm
DPN1564PP		6-8 mm
DPN1850PP		15-50 mm
DW66C-1		50-65 mm
DW325C		50-75 mm

## Esco

ESCO10		4-10 mm
ESCO11		6-10 mm
ESCO19		4-6 mm
ESCO20		4-8 mm
ESCO30, ESCO40		6-14 mm

ESCO50		6-14 mm		15 mm
ESCO58		4-14 mm		
ESCO90		6-14 mm		15 mm
ESCO100		8-20 mm		15-20 mm
ESCO200		12-25 mm		15-25 mm
Compacta 530		4-14 mm		
ET53031, HT53055		6-14 mm		15 mm
Derby 530		6-8 mm		
DLT 530		4-18 mm		
DLT 606		12-25 mm		

## Essve

BN1.2/55, BNG1.2/50		15-50 mm
BNG1.6/20/64		32-64 mm
CRN15-45		19-45 mm
CN15/65		50-65 mm
CN15/90		50-90 mm
FN3490, EFN34/90, G3 GAS		50-90 mm

## Haubold

RNC45-R		19-45 mm
RNC50M, RNC65S/WII		32-45 mm
RNC70.1		50-65 mm
RNC90Z		50-90 mm

## Hitachi

NT50GS, NT50AE2(S)		15-50 mm
NT32AE2, NT32AE2(S)		15-30 mm
NT65GB		32-64 mm
NT65GA, NT65MA4(S)		32-64 mm

## Kihlberg

T694		6-12 mm
------	--	---------

## KWB

HT057		6-10mm
HT053		5-8mm
MT10		6-10 mm
MT16N		8-16 mm 15 mm
PT8		4-8 mm
PT10		4-10 mm
PT14		15 mm
TT14		6-14 mm 15 mm
TT18		8-20 mm 15-25 mm
TT26		12-25 mm 15-25 mm
TN30		15-30 mm

## LUX

195000		4-10 mm
195020		4-8 mm
195010, 195030		6-14 mm
195040, 195015, 195060		6-14 mm 15 mm
195050		4-6 mm

## Maestri

ME30/MET30		15-30 mm
MK80/C		6-14 mm
Rocama 104/107		4-10 mm
Rocama 104/107 CA		6-10 mm
Rocama 104/107 SA		6-10 mm
105/108/110		4-10 mm
TH 53/8 - TAK 53/8		4-8 mm
THB 53/8		6-10 mm
THB 53/14 - TAK 53/14B		6-14 mm 15 mm
Technica 1310		6-10 mm
5314/5310		6-14 mm
EHB T50		6-14 mm
TAK 53/10, 53/10B		4-10 mm
5316		6-14 mm 15 mm
T50, T50 Electronic		6-14 mm
53 Electronic		8-20 mm 15-20 mm
ME4/606 Electronic		12-25 mm 15-25 mm

## Makita

AF505		15-50 mm
DBN500		15-50 mm

## Max

CN55		50 mm
CN100		65-90 mm
CN445		19-45 mm
CN890_CN80		50-90 mm
GS690CH-EX, SN890CH-SN883CH		50-90 mm
HN65, CN565S2, CN665, CN565, CN70		50-65 mm
NF255F/18		15-50 mm
NF235F/18		15-35 mm
NF665/15		32-64 mm

## Metabo

TaE 1819/1919		8-18 mm 12-18 mm
		20 mm
TaA 19		8-18 mm 12-18 mm
		20 mm
TaE 2019/2020		8-18 mm 12-18 mm
		20 mm
TaM 3030/3034		8-18 mm 12-18 mm
		20 mm

## Novus

J-031G, J-032		6-10 mm
J-100/J-102A		6-14 mm
J-105 EADHG		6-14 mm 6-14 mm
		6-14 mm 15 mm
J-155/J-155 A		8-18 mm 12-18 mm
		20 mm
J-165 EAD		8-20 mm 15-20 mm
J-165 EC		15-25 mm 15-25 mm
J-171/J-172 A		18-30 mm 15-30 mm
J-316 A		6-16 mm
J-328 EC		15-28 mm 15-30 mm
J-214		6-14 mm 15mm
J01 A		6-8 mm
J01 AS		6-8 mm 9 mm
J02 AL		6-14 mm 14 mm
J08 XX/J09 XX		4-8 mm 4-8 mm
		4-8 mm 4-6 mm
		4-6 mm
J-16 EADHG		6-14 mm 6-14 mm
		6-14 mm 15 mm
J-16SEAD		6-14 mm

## Novus

J-17DA		6-14 mm 6-14 mm
J-19 EADHG		6-14 mm 6-14 mm
		6-14 mm 15 mm
J-19S		9-11 mm
J-19L		10-14 mm
J-58 Trig		4-14 mm
J-021 H		4-6 mm

## Paslode

18Ga Brad Nailer, FN1850, IM50, T200-F18		15-50 mm
F325R, CF325Li		50-75 mm
F350S, CF325XP		50-90 mm
FN16A65, IM65A, IM250A-LI, T250A-F16		32-64 mm
FN1835		15-35 mm

## Prebena

2P-J50SDS, 2P-J50STVN, 2P-J50SVN		15-50 mm
2P-J/ES40 COMBI		20-50 mm
5X-DA63		32-64 mm
CNF57		50 mm
CNW50		32-45 mm
CNW65, CNW70		50-65 mm
CNW83		50-75 mm
CNW90		50-90 mm
CNW100		75-90 mm
CNZ45		19-45 mm

## Rapesco / Tacwise

Z-140		6-14 mm		15 mm
A11		6-10 mm		
140EL		6-14 mm		15 mm
191EL, DUO35		15-30 mm		15-35 mm
181EL		15-35 mm		
53EL		6-14 mm		15 mm
CT45		8-10 mm		
CT60		10-14 mm		12-14 mm
Z1,Z1L-53		4-8mm		
Z1,Z1L-140		4-8mm		
Z1,Z1L-13		4-8mm		
Z3,Z3L-53		6-14mm 15mm		
Z3,Z3L-140		6-14mm 15mm		
Z3,Z3L-13		6-14mm 15mm		
Z3 3in1 - 53L		6-8mm 15mm		
		15mm		
Z3 3in1 - 140L		6-8mm 15mm		
		15mm		
Z3 4in1		8-14 mm 15mm		
		12-14 mm 15mm		
DUO50		18-40 mm		20-50mm
18G/50				20-50mm

## Rocafix

MS03		4-8 mm
MS05		4-8 mm
MS10		6-12 mm 6-15 mm
MS20		6-12 mm 12-14 mm
MS30		6-12 mm 15 mm
		15 mm
MS40		6-12 mm 15 mm
		12-14 mm 15 mm
MS100-MS110		4-10 mm 4-8 mm
MS500		6-14 mm 15 mm
MS500B		6-14 mm 15 mm
MS655		12-14 mm 9-11 mm
MS675		12-14 mm 12-14 mm
ES130		6-14 mm 15 mm
ES230		6-14 mm 15 mm
EN330		15-30 mm
PSN20-50		20-40 mm 20-50 mm

## Senco

F-15, FinishPro 35Mg, FinishPro 42XP, GT65DA, SFN30		32-64 mm
F-16A, FinishPro 33Mg, GT65RHA		32-64 mm
F-18, FinishPro 18BMg, 18Mg, FinishPro 25XP, GT50AX, HNS 5015p, LNS 5015p,		15-50 mm
FP325XP, FP701XP		50-63 mm
FP651, SN951XP, GT90CH, GT60NN, MC6034		50-90 mm

PAL57F, PAL70, SCN58A		50-65 mm
PAL100XP		65-90 mm
PAL130XP		90 mm
RP445XP, RP455XP, RP450, SCN34, SCN49, SCN49XP		19-45 mm
SLP 20XP		15-40 mm

## Stanley/Bostitch

ST10		6-10 mm
ST14		6-14 mm 15 mm
TR45		6-8 mm
TR100		6-14 mm
TR200		6-14 mm 15 mm
TRE500		6-14 mm 15 mm
HT150C		6-14 mm
HT FATMAX PRO		8-10 mm
APC 2in1		15-30 mm
TRE540		12-14 mm
TR350 FATMAX		8-14 mm 15 mm
TR120 3in1		4-14 mm 15 mm
		4-14 mm
TR75 FATMAX		6-14 mm 6-8 mm 15 mm
		6-14 mm 12-14 mm 15 mm
TR400 FATMAX		4-14 mm 15 mm
		12-14 mm 15 mm
TR55		4-14 mm
TRE650		15-30 mm
TRE550, TR250		6-14 mm 15 mm
TR150HL, TR110		6-14 mm

## Tjep

GRF34/90LW, GRF34/105		50-90 mm
CN90-CN100		50-90 mm
TA45		19-45 mm
TF-18/50, TF-18/55, F-18/50		15-50 mm
TF-18/40		15-40 mm
TF-18/45		15-45 mm
VF-16/64		32-64 mm
AB-15/64		32-64 mm
AB-15/50		32-50 mm

## Wolfcraft

P10/M10		4-10 mm
Taco 4/HT8		6-8 mm
Taco 5		4-8 mm
7160/7162		18-30 mm

# STAPLES AND NAILS

One of the most important aspects of meeting customer demands is being able to offer perfect fastening tools. Another equally crucial element is being able to supply the right type of staples or nails for the job. At Rapid we are experts at both, and we also understand the importance of staple or nail quality. Our product range is the widest on the market and in order to achieve the best possible end results, we always recommend using Rapid original staples and nails. Using the wrong sized staple or inferior quality staples can cause the tool to jam and malfunction.



## FLATWIRE FOR HEAVY DUTY AND CONSTRUCTION

These quality flatwire, galvanized staples feature a larger holding area against the surface material making them ideal for working with insulation material and thin plastics as well as thin cardboard and carpets. Precision cut legs optimise material penetration. Also available in stainless steel.

### 140/5M PP/2M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	5000	40303088	7313463030884	5
140/8 mm	Galvanized	5000	40303089	7313463030891	5
140/10 mm	Galvanized	5000	40303090	7313463030907	5
140/12 mm	Galvanized	5000	40303091	7313463030914	5
140/14 mm	Galvanized	5000	40303092	7313463030921	5
140/16 mm	Galvanized	2000	5000091	4051661001703	5



### 140/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	5000	11905711	7313469140068	20
140/8 mm	Galvanized	5000	11908111	7313469140075	20
140/10 mm	Galvanized	5000	11910711	7313469140082	20
140/12 mm	Galvanized	5000	11912311	7313469140099	15
140/14 mm	Galvanized	5000	11915611	7313469140105	15



### 140/2M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	2000	11905731	7313469140013	10
140/8 mm	Galvanized	2000	11908131	7313469140020	10
140/10 mm	Galvanized	2000	11910731	7313469140037	10
140/12 mm	Galvanized	2000	11912331	7313469140044	10
140/14 mm	Galvanized	2000	11915631	7313469140051	10
140/10 mm	Stainless steel	2000	11910733	7313469140112	5



## 140/Narrow blisters

140

Description	Specification	Pcs	Art. No.	EAN Code	Units
140/6 mm	Galvanized	970	40109513	3221631095136	5
140/8 mm	Galvanized	970	40109514	3221631095143	5
140/10 mm	Galvanized	648	40109515	3221631095150	5
140/12 mm	Galvanized	648	40109516	3221631095167	5
140/14 mm	Galvanized	648	40109517	3221631095174	5
140/8 mm	Stainless Steel	970	5000703	4051661022005	5
140/10 mm	Stainless Steel	648	40109575	3221631095754	5
140/12 mm	Stainless Steel	648	5000690	4051661021442	5
140/14 mm	Galvanized; Divergent points	648	40109576	3221631095761	5



## 13/2.5M boxes

13

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	2500	11825725	7313469013027	10
13/6 mm	Galvanized	2500	11830725	7313469013041	10
13/8 mm	Galvanized	2500	11835625	7313469013072	10
13/10 mm	Galvanized	2500	11840625	7313469013096	10
13/14 mm	Galvanized	2500	11850525	7313469013119	10
13/6 mm	Stainless Steel	2500	11830726	7313469013058	5
13/8 mm	Stainless Steel	2500	11835626	7313469013126	5



## 53/5M PP

53

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	5000	40303083	7313463030839	5
53/8 mm	Galvanized	5000	40303084	7313463030846	5
53/10 mm	Galvanized	5000	40303085	7313463030853	5
53/12 mm	Galvanized	5000	40303086	7313463030860	5
53/14 mm	Galvanized	5000	40303087	7313463030877	5
53/16 mm	Galvanized	2400	5000202	4051661007989	5



## 13/5M PP

13

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/6 mm	Galvanized	5000	40303079	7313463030792	5
13/8 mm	Galvanized	5000	40303080	7313463030808	5
13/10 mm	Galvanized	5000	40303081	7313463030815	5
13/14 mm	Galvanized	5000	40303082	7313463030822	5



## 53/5M boxes

53

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/4 mm	Galvanized	5000	23808700	7313468087005	50
53/6 mm	Galvanized	5000	11856250	7313468562502	50
53/8 mm	Galvanized	5000	11857050	7313468570507	35
53/10 mm	Galvanized	5000	11858810	7313468585105	35
53/12 mm	Galvanized	5000	11859610	7313468596101	30
53/14 mm	Galvanized	5000	11860410	7313468604103	25
53/16 mm	Galvanized	5000	11860490	7313468604905	20



## 13/5M boxes

13

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	5000	11825700	7313469013010	50
13/6 mm	Galvanized	5000	11830700	7313469013034	50
13/8 mm	Galvanized	5000	11835600	7313469013065	40
13/10 mm	Galvanized	5000	11840600	7313469013089	35
13/14 mm	Galvanized	5000	11850500	7313469013102	25



## 53/2.5M boxes

53

Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	2500	11856225	7313469053016	10
53/8 mm	Galvanized	2500	11857025	7313469053023	10
53/10 mm	Galvanized	2500	11858825	7313469053054	10
53/12 mm	Galvanized	2500	11859625	7313469053061	5
53/14 mm	Galvanized	2500	11860425	7313469053078	10
53/20 mm	Galvanized	1250	11894301	7313468943011	10
53/8 mm	Stainless steel	2500	23808000	7313468080006	10
53/10 mm	Stainless steel	2500	23807500	7313468075002	10



## 13/Narrow blister

13

Description	Specification	Pcs	Art. No.	EAN Code	Units
13/4 mm	Galvanized	1650	40109518	3221631095181	5
13/6 mm	Galvanized	1650	40109519	3221631095198	5
13/8 mm	Galvanized	1650	40109520	3221631095204	5
13/10 mm	Galvanized	1100	40109521	3221631095211	5
13/14 mm	Galvanized	1100	40109522	3221631095228	5



## 53/1.2M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/6 mm	Galvanized	1200	23807400	7313468074005	10
53/8 mm	Galvanized	1200	23808800	7313468088002	10
53/10 mm	Galvanized	1200	23808900	7313468089009	10
53/12 mm	Galvanized	1200	23809000	7313468090005	10
53/14 mm	Galvanized	1200	23807600	7313468076009	10




## 53/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
53/4 mm	Galvanized	1620	40109501	3221631095013	5
53/6 mm	Galvanized	1080	40109502	3221631095020	5
53/8 mm	Galvanized	1080	40109503	3221631095037	5
53/10 mm	Galvanized	1080	40109504	3221631095044	5
53/12 mm	Galvanized	1080	40109505	3221631095051	5
53/14 mm	Galvanized	1080	40109506	3221631095068	5
53/20 mm	Galvanized	540	40109508	3221631095082	5
53/6 mm	Stainless steel	1080	40109509	3221631095099	5
53/8 mm	Stainless steel	1080	40109510	3221631095105	5
53/10 mm	Stainless steel	1080	40109511	3221631095112	5
53/12 mm	Stainless steel	1080	40109512	3221631095129	5
53/6mm	Galvanized	2130	5000741	4051661023095	5
53/8mm	Galvanized	2130	5000742	4051661023132	5
53/10mm	Galvanized	2130	5000743	4051661023170	5



## 4-in-1




Description	Specification	Pcs	Art. No.	EAN Code	Units
53/8/9/7	Galvanized	1740	40109414	3221631088718	10



### FOR LOW VOLTAGE CABLES

With their rounded crown, these flatwire staples are specifically designed for fastening low voltage cables up to 50 V such as computer, hi-fi speaker or telephone cables. Diverging points, DP, makes leg points go in opposite directions, for extra strong bonding.

## 28/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
28/9 mm	Galvanized	5x1000	11890131	7313468901318	25
28/10 mm	Galvanized	5x1000	11893510	7313468935108	20
28/11 mm	Galvanized	5x1000	11891933	7313468919337	20
28/9 mm	White	5x1000	11890130	7313468901301	25
28/10 mm	White	5x1000	11893511	7313468935115	20
28/11 mm	White	5x1000	11891931	7313468919313	20



## 36/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
36/10 mm	Superstrong - Galvanized	5x1000	5000774	4051661023552	20
36/12 mm	Superstrong - Galvanized	5x1000	5000511	4051661017360	20
36/14 mm	Superstrong - Galvanized	5x1000	5000512	4051661017377	15
36/10 mm	Galvanized	5x1000	11884410	7313468844103	20
36/12 mm	Galvanized	5x1000	11885110	7313468851101	20
36/14 mm	Galvanized	5x1000	11886910	7313468869106	15
36/10 mm	White	5x1000	11884431	7313468844318	20
36/14 mm	White	5x1000	11886911	7313468869113	15



## 36/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
36/12 mm	Galvanized	864	40109626	3221631096263	5
36/14 mm	Galvanized	864	40109627	3221631096270	5



## 7/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
7/12 mm	Galvanized	960	40109523	3221631095235	5
7/14 mm	Galvanized	960	40109524	3221631095242	5





### NARROW CROWN

An effective solution when fixing through tough materials or where long depth is required, these precision cut, narrow crown staples are made from high performance, galvanized steel and work like a double brad. Resin coated to increase their resistance to removal, these are ideal for heavy duty fixing, flooring, wood panelling, wall boards, frames, partitioning. Resin coating gives them optimal fixing characteristics in wood.

## 606/3.6M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	3600	40303093	7313463030938	5
606/18 mm	Galvanized; Resin coated	3600	40303094	7313463030945	5
606/25 mm	Galvanized; Resin coated	3600	40303095	7313463030952	5
606/30 mm	Galvanized; Resin coated	3600	40303096	7313463030969	5



## 606/4M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	4000	11895002	7313468950026	6
606/18 mm	Galvanized; Resin coated	4000	11897602	7313468976026	6
606/25 mm	Galvanized; Resin coated	4000	11737302	7313467373024	6
606/30 mm	Galvanized; Resin coated	4000	46631040	4004073000574	6



## 606/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
606/12 mm	Galvanized; Resin coated	1200	40109527	3221631095273	5
606/15 mm	Galvanized; Resin coated	1200	40109528	3221631095280	5
606/18 mm	Galvanized; Resin coated	600	40109529	3221631095297	5
606/23 mm	Galvanized; Resin coated	600	40109530	3221631095303	5
606/25 mm	Galvanized; Resin coated	600	40109531	3221631095310	5
606/30 mm	Galvanized; Resin coated	600	40109532	3221631095327	5



### SERVICE ASSORTMENT

Rapid is proud to be a full-service staple supplier. We offer a comprehensive range of staples designed to fit all other major brands on the market, using high quality steel and superior manufacturing processes. By offering this assortment, retailers can more readily offer customer satisfaction by being able to meet varying demands and the customers can always find a total fastening solution even if they are not using a Rapid tool.

## 1/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
1/8 mm	Galvanized	864	40109539	3221631095396	5
1/10 mm	Galvanized	864	40109540	3221631095402	5



- Flatwire staples.
- Specifically designed for use with Rocagraf tools.

## 11/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
11STCR/10 mm	Galvanized	648	40109572	3221631095723	5



- Galvanized, flatwire staples.
- Specifically designed for use with Bostitch tools.

## 12/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
12/6 mm	Galvanized	5000	40100517	3221631005173	30
12/8 mm	Galvanized	5000	40100518	3221631005180	24
12/10 mm	Galvanized	5000	40100519	3221631005197	20
12/12 mm	Galvanized	5000	40100520	3221631005203	20
12/14 mm	Galvanized	5000	40100521	3221631005210	15
12/16 mm	Galvanized	5000	40100522	3221631005227	16



- Quality, flatwire, galvanized staples.
- Ideal solution for working with tapestry, padding and upholstery.

## 12/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
12/8 mm	Galvanized	1440	40109568	3221631095686	5
12/12 mm	Galvanized	864	40109570	3221631095709	5





## 53F/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
53F/6 mm	Galvanized	970	5000555	4051661018688	5
53F/8 mm	Galvanized	970	5000556	4051661018695	5
53F/10 mm	Galvanized	648	5000557	4051661018701	5
53F/14 mm	Galvanized	648	5000558	4051661018718	5



- Galvanized finewire staples.
- Specifically designed for use with Novus products.

## 958/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
958/6 mm	Galvanized	2400	40109541	3221631095419	5
958/8 mm	Galvanized	2000	40109542	3221631095426	5
958/10 mm	Galvanized	1600	40109543	3221631095433	5
958/12 mm	Galvanized	800	40109544	3221631095440	5



- Galvanized finewire staples.
- Specifically designed for use with Esco and Novus products.

## 970/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
970/6 mm	Galvanized	1344	40109549	3221631095495	5
970/8 mm	Galvanized	1120	40109550	3221631095501	5
970/10 mm	Galvanized	896	40109551	3221631095518	5
970/12 mm	Galvanized	672	40109552	3221631095525	5
970/14 mm	Galvanized	672	40109553	3221631095532	5
970/14 mm	Galvanized; Divergent points	672	40109599	3221631095990	5



- Galvanized flatwire staples.
- Specifically designed for use with Black & Decker products.

## 980/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
980/8 mm	Galvanized	1080	40109545	3221631095457	5
980/10 mm	Galvanized	864	40109546	3221631095464	5
980/12 mm	Galvanized	648	40109547	3221631095471	5
980/14 mm	Galvanized	648	40109548	3221631095488	5



- Galvanized, flatwire staples.
- Originally designed for use with Swingline tools.

## BMN/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
BMN/6 mm	Galvanized	1080	40109555	3221631095556	5
BMN/8 mm	Galvanized	1080	40109556	3221631095563	5
BMN/10 mm	Galvanized	1080	40109557	3221631095570	5
BMN/14 mm	Galvanized	1080	40109559	3221631095594	5



- Galvanized finewire staples.
- Specifically designed for use with Bosch, Metabo and Novus products.


## 90/3M PP



Description	Specification	Pcs	Art. No.	EAN Code	Units
90/20 mm	Galvanized; Resin coated	3000	5000123	4051661002441	5
90/25 mm	Galvanized; Resin coated	3000	5000124	4051661002458	5
90/30 mm	Galvanized; Resin coated	3000	5000125	4051661002465	5
90/35 mm	Galvanized; Resin coated	1500	5000126	4051661002472	5
90/40 mm	Galvanized; Resin coated	1500	5000127	4051661002489	5



- High performance, galvanized narrow crown staples.
- Specifically designed for use with Rapid pneumatic stapler PBS151.



### BRADS AND PINS

Versatile and high quality, these high performance, galvanized brads are ideal for many different kind of finishing application such as carpentry and framing as well as wood panelling. Precision cut legs optimise material penetration. Also available in stainless steel.

## 8/PP boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	5700	5000520	4051661017636	5
8/25 mm	Galvanized	5600	5000183	4051661007422	5
8/30 mm	Galvanized	4200	5000184	4051661007439	5
8/40 mm	Galvanized	2800	5000185	4051661007446	5
8/50 mm	Galvanized	2800	5000186	4051661007453	5



## 8/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	5000	40100532	3221631005326	20
8/20 mm	Galvanized	5000	40100533	3221631005333	12
8/25 mm	Galvanized	5000	40014272	3221630142725	12
8/30 mm	Galvanized	5000	40014273	3221630142732	12
8/35 mm	Galvanized	5000	40100534	3221631005340	10
8/40 mm	Galvanized	5000	40100535	3221631005357	6
8/45 mm	Galvanized	5000	40100536	3221631005364	6
8/50 mm	Galvanized	5000	40100537	3221631005371	6



## 8/2M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	2000	5000811	4051661024122	10
8/20 mm	Galvanized	2000	5000812	4051661024139	10
8/25 mm	Galvanized	2000	5000813	4051661024146	10
8/30 mm	Galvanized	1400	5000814	4051661024153	10
8/40 mm	Galvanized	1200	5000815	4051661024160	10
8/50 mm	Galvanized	1000	5000816	4051661024177	10



## 8/1M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	1000	11900820	7313469008207	70
8/20 mm	Galvanized	1000	11901720	7313469017209	70
8/25 mm	Galvanized	1000	11902520	7313469025204	72
8/30 mm	Stainless steel	1000	40303066	7313463030662	36
8/50 mm	Stainless steel	1000	40303067	7313463030679	36



## 8/Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
8/15 mm	Galvanized	1000	40109533	3221631095334	5
8/20 mm	Galvanized	750	40109534	3221631095341	5
8/25 mm	Galvanized	1000	40109535	3221631095358	5
8/30 mm	Galvanized	1000	40109536	3221631095365	5



## 9/1M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
9/15 mm	Galvanized	1000	40109538	3221631095389	5



- These brads have no head, making them almost invisible when applied.
- Made from precision cut, high performance, galvanized steel.
- The perfect solution for carpentry, base boards and lighter furniture work.
- Precision cut legs optimise material penetration.

## 16 / Narrow blisters



Description	Specification	Pcs	Art. No.	EAN Code	Units
16/14 mm	Galvanized	990	40109554	3221631095549	5



- Heavy duty galvanized brads.
- Ideal for tough carpentry work and working with wood panelling, door framing and carpentry.
- Precision cut legs optimise material penetration.

## 16A/2M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
16A/32 mm 20°	Galvanized	2000	5000817	4051661024184	6
16A/38 mm 20°	Galvanized	2000	5000818	4051661024191	6
16A/45 mm 20°	Galvanized	2000	5000819	4051661024207	6
16A/50 mm 20°	Galvanized	2000	5000820	4051661024214	6
16A/64 mm 20°	Galvanized	2000	5000821	4051661024221	6
16A/38 mm 20°	Stainless	2000	5000822	4051661024238	6
16A/50 mm 20°	Stainless	2000	5000823	4051661024245	6
16A/64 mm 20°	Stainless	2000	5000824	4051661024252	6



- Heavy duty galvanized brads.
- Ideal for second fix carpentry work and finishing applications such as door and window trim, skirting and panelling.
- The 20 degree angle allows for easy access into corners.
- Precision cut legs optimise material penetration.

## 21P/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
21P/20 mm	Galvanized	5000	40302972	3221633029726	30
21P/30 mm	Galvanized	5000	40302974	3221633029740	20



- These mini-pins have no head, making them practically invisible.
- Made from precision cut, extra-thin, high performance galvanized steel.
- Ideal for door and window framing, thin base board work, light furniture and carpentry.

## 21B/5M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
21B/20 mm	Galvanized	5000	40302975	3221633029757	30
21B/30 mm	Galvanized	5000	40302977	3221633029771	20
21B/40 mm	Galvanized	5000	40302978	3221633029788	15



- Almost 'invisible' mini brads.
- Made from precision cut, extra-thin, high performance galvanized steel.
- Ideal for door and window framing, thin base board work, light furniture and carpentry.

## 32/1M boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
32/32 mm 34°	Galvanized; Resin coated	1000	40104405	3221631044059	20
32/38 mm 34°	Galvanized; Resin coated	1000	40104406	3221631044066	20
32/50 mm 34°	Galvanized; Resin coated	1000	40104408	3221631044080	15
32/64 mm 34°	Galvanized; Resin coated	1000	40104410	3221631044103	10
32/38 mm 34°	Stainless steel; Resin coated	1000	40303068	7313463030686	15
32/50 mm 34°	Stainless steel; Resin coated	1000	40303069	7313463030693	10



- Precision cut, high performance brads with 34° angled strips and a D head.
- Ideal for special, high finish applications such as carpentry and door framing.
- Long life wire is specifically designed for outdoor use or humid, damp conditions.
- Precision chisel cut legs optimise material penetration.

## 34 BB/boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
34/50 mm 34°	Bright Basic; Ring shank	3500	5000798	4051661023828	1
34/63 mm 34°	Bright Basic; Ring shank	3000	5000799	4051661023835	1
34/75 mm 34°	Bright Basic; Ring shank	2500	5000800	4051661023842	1
34/90 mm 34°	Bright Basic; Ring shank	2000	5000801	4051661023859	1



- Professional quality 34-D nails "Clipped-head Nails".
- Designed for indoor framing or structural work. Ideal for sheathing, joists, parquet and studs.
- Bright finish for indoor use.
- Paper collated with ring shank for best holding strength.
- Comply with Construction products regulation (EU) 305/2011. Service Class 1 Nails, CE approved, Declared performances according to DIN EN14592.

## 45 HDG/boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
45/19 mm	Hot Dip Galvanized; Smooth shank	1920	5000802	4051661023866	1
45/25 mm	Hot Dip Galvanized; Smooth shank	1440	5000803	4051661023873	1
45/32 mm	Hot Dip Galvanized; Smooth shank	960	5000804	4051661023880	1
45/38 mm	Hot Dip Galvanized; Smooth shank	960	5000805	4051661023897	1
45/45 mm	Hot Dip Galvanized; Smooth shank	720	5000806	4051661023903	1



- Heavy Duty 15° coil roofing nails.
- Ideal for shingles, exterior drywall, insulation board, fibre cement applications, soft wood and steel.
- Hot Dip Galvanized finish for long lasting hold and smooth shank.



### NAILS

High performance range of industrial coil and strip nails made for roofing and framing applications. Coils nails are joined together with wire whereas strip nails are collated with paper. Manufactured with diamond point to allow best penetration.

## 34 HDG/boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
34/50 mm 34°	Hot Dip Galvanized; Ring shank	1200	5000794	4051661023781	1
34/63 mm 34°	Hot Dip Galvanized; Ring shank	1200	5000795	4051661023798	1
34/75 mm 34°	Hot Dip Galvanized; Ring shank	800	5000796	4051661023804	1
34/90 mm 34°	Hot Dip Galvanized; Ring shank	800	5000797	4051661023811	1



- Professional quality 34-D nails "Clipped-head Nails".
- Designed for outdoor use. Perfect solution for framing applications such as nailing studs, rafters, ridge boards, parquet, terracing and decking.
- Hot Dip Galvanized for outdoor use.
- Paper collated with ring shank for best holding strength.
- Comply with Construction products regulation (EU) 305/2011. Service Class 3 Nails, CE approved, Declared performances according to DIN EN14592.

## 50 BB/boxes



Description	Specification	Pcs	Art. No.	EAN Code	Units
50/50 mm	Bright Basic; Ring shank	3600	5000807	4051661023910	1
50/65 mm	Bright Basic; Ring shank	2700	5000808	4051661023927	1
50/75 mm	Bright Basic; Ring shank	2700	5000809	4051661023934	1
50/90 mm	Bright Basic; Ring shank	1800	5000810	4051661023941	1



- Industrial 15° coil framing nails.
- Ideal for framing, sheathing, decking, sub-flooring and working with crates, pallets or box assembly.
- Bright finish for indoor use.
- Comply with Construction products regulation (EU) 305/2011. Service Class 1 Nails, CE approved, Declared performances according to DIN EN14592.

## GLUING

Do you know that Rapid is the market leader when it comes to glue guns? Just like all our products, Rapid glue guns are renowned for their high quality, smart functions and design features that enhance the user experience and make every job as easy and efficient as possible.



# GLUE GUNS

A good glue gun can be the difference between a job well done and less impressive results. For example, a Rapid glue gun doesn't drip and will never clog up with old glue residue. Areas of use are many, and by switching between different kinds of glue sticks you can use the same glue gun to bond a wide variety of materials. Our glue guns heat up quickly, minimising the need to wait before getting to work and represent the market's strongest line of glue guns for any kind of assignment or application. Ergonomically designed, easy to use and available in electrical, rechargeable or battery-powered versions, Rapid glue guns optimise efficiency and deliver quality results.



## EG380



**Glue output**  
Up to 2200 g/h

**Glue**  
Ø12 mm

Description	Art. No.	EAN Code	Units
Box	5000018	4051661000249	5
Box - UK plug	5000181	4051661007385	6
Box - CH plug	5000564	4051661019012	6
Case	5000223	4051661008702	3

**PRO**  
Professional, industrial performance glue gun with an exceptionally high glue output of 2200 g/h. Designed for high frequency, demanding usage and precision application.

- 2200 g/h glue output
- Power 400 W
- Heating time: 1 min at 130 °C - 3 min at 210 °C
- Adjustable temperature 130-230 °C
- Temperature settings: 130 °C, 150 °C, 170 °C, 190 °C, 210 °C, 230 °C
- Works with both EVA and polyamid glue
- 3.5 m rubber cord
- Supplied with a fixed and a mobile stand
- Standard nozzle: Ø3.5 mm
- Exchangeable nozzle
- Soft grip 4 finger trigger for high comfort
- 2 year guarantee

## EG360



**Glue output**  
Up to 1800 g/h

**Glue**  
Ø12 mm

Description	Art. No.	EAN Code	Units
Box	5000328	4051661011689	5
Box - CH plug	5000566	4051661019074	5

**PRO**  
Professional, industrial standard glue gun equipped with a high performance 300 W cartridge heater system. Designed for precision application and high-frequency usage.

- 1800 g/h glue output
- Power 300 W
- Heating time: 1 min at 130 °C, 3 min at 210 °C
- Adjustable temperature 120-230 °C
- Temperature settings: 120 °C, 145 °C, 170 °C, 195 °C and 230 °C
- Standard nozzle Ø3.5 mm, exchangeable
- 4 finger trigger for high comfort of use
- 2.5 m rubber cord
- Supplied with a fixed and a mobile stand
- Work with both EVA & Polyamide glue
- 2 year guarantee

## EG340



**Glue output**  
Up to 1400 g/h

**Glue**  
Ø12 mm

Description	Art. No.	EAN Code	Units
Box	5000327	4051661011672	5
Box - UK plug	5000639	4051661020605	5
Box - CH plug	5000565	4051661019043	5

**PRO**  
Professional, industrial performance glue gun with a glue output of 1400 g/h. Designed for high frequency, demanding usage and precision application.

- 1400 g/h glue output
- Power 220 W
- Heating time: 1 min at 130 °C, 3 min at 210 °C
- Adjustable temperature 120-220 °C
- Temperature settings: 120 °C, 145 °C, 170 °C, 195 °C, 220 °C
- Works with both EVA and polyamide glue
- Standard nozzle Ø3.0 mm, exchangeable
- Ergonomic 4-finger handle
- 2.5 m cord
- Supplied with a fixed and mobile stand
- 2 year guarantee

## EG320



**Glue output**  
Up to 1000 g/h


**Glue**  
Ø12 mm

Description	Art. No.	EAN Code	Units
Box	5000326	4051661011665	5
Box - UK plug	5000714	4051661022562	5

**PRO**  
Professional, multi-purpose glue gun characterised by its compact size and light weight. Comfortable to operate, well balanced and designed for precision working even when working intensively.

- 1000 g/h glue output
- Power 120 W
- 4 min heating time
- Temperature setting: 195 °C self-regulated
- Works with both EVA and polyamide glue
- Standard nozzle Ø3.0 mm, exchangeable
- Ergonomic 4-finger handle
- 1.75 m cord
- Supplied with a fixed and a mobile stand
- 2 year guarantee

## EG330



Glue  
Ø12 mm


High capacity glue gun perfect for high frequency jobs that also demand precision and efficiency.

**PRO**

- 1300 g/h glue output
- Power 380 W
- 3-4 min heating time
- Temperature settings: 185 °C and 200 °C
- Exchangeable nozzle
- 4-finger trigger action
- 2 m cord
- Fixed stand for full stability
- 2 year guarantee

Description	Art. No.	EAN Code	Units
Box	40303007	3221633030074	5
Box - AU/NZ plug	5000246	4051661009952	5
Case	40303008	3221633030081	6
Case - UK plug	5000119	4051661002328	6

## EG310



Glue  
Ø12 mm

Glue gun designed for multi-purpose home or DIY use but still offering professional performance levels.

**PRO**

- 1000 g/h glue output
- 3-4 min heating time
- Temperature setting: 200 °C
- Exchangeable nozzle
- 4-finger trigger action
- 2 m cord
- Mobile stand for full flexibility
- 3 year guarantee

Description	Art. No.	EAN Code	Units
Box	40303005	3221631085793	5
Clamshell	5000436	3221631085625	6
Case	40303006	3221631085663	6

## BGX300



Glue  
Ø12 mm

Enjoy freedom and working versatility with this cordless Lithium-Ion powered glue gun. Designed for precision operation around the house.

- Up to 60 minutes cordless operation before recharging is required
- Patented technology
- Lithium Ion battery powered
- 3 to 6 min heating time
- Read-to-use indicator light
- Ergonomic soft-grip and smooth action trigger
- Adjustable stand
- 2 year guarantee

Description	Art. No.	EAN Code	Units
Box	40303073	7313463030730	3
Case incl glue sticks	40303135	7313463031355	3
Case incl glue sticks - UK plug	5000120	4051661002335	3
Case incl glue sticks - AU/NZ plug	5000257	4051661010293	3

## Battery for BGX300




Extra 7,2 V Li-Ion battery for BGX300. Easy removal and attachment.

- 7,2 V, 2600 mAh
- Easy click battery
- No self-discharge
- 2 year guarantee

Description	Art. No.	EAN Code	Units
A300 Battery for BGX300	40303077	3221633030777	20

## EG280



Glue  
Ø12 mm

High performance glue gun for demanding DIY users. Ideal for a wide variety of tasks around the house. High yet smooth glue output of 600 g/h giving better finished results.

Description	Art. No.	EAN Code	Units
Clamshell - West	5000426	4051661014710	5
Clamshell - East	5000444	4051661015335	5

- 600 g/h glue output
- 3 min heating time
- Soft-grip trigger and handle
- Soft grip top cover for heating protection
- Exchangeable nozzle
- Fixed stand for full stability
- 3 year guarantee

## CG270



Glue  
Ø12 mm

The ideal glue gun for a wide variety of jobs indoors and outdoors. Great user comfort thanks to its cordless operation and soft grip handle and trigger – this means you work more efficiently and more comfortably.

Description	Art. No.	EAN Code	Units
Clamshell - West	5000425	3221633029948	5
Clamshell - East	5000443	3221633030555	5
Clamshell - AU/NZ	5000769	4051661023477	5

- 350 g/h glue output
- Removable cord, 7 min continuous work when unplugged
- Soft-grip trigger and handle
- Exchangeable nozzle
- Adjustable stand
- 3 year guarantee

## EG250



Glue  
Ø12 mm

Starter kit including multipurpose glue gun. Ideal for quick, effortless decoration and repair tasks around the house.

Description	Art. No.	EAN Code	Units
Case incl nozzles and glue sticks	40303017	3221633030173	5

- 300 g/h glue output
- 8 min heating time
- Replaceable nozzle
- Incl pallet nozzle, long nozzle and standard nozzle
- Incl 12 glue sticks of transparent glue
- 2 year guarantee

## EG212




Glue  
Ø12 mm

For quick, effortless decoration and repair tasks around the house, this smart, great value, ergonomically designed glue gun is the perfect solution.

Description	Art. No.	EAN Code	Units
Clamshell - West	5000424	3221633029238	5
Clamshell - East	5000442	3221633029344	5
Clamshell - AU/NZ plug	5000244	4051661009938	5
Clamshell - UK plug	40302921	3221633029214	5

- 250 g/h glue output
- 3-6 min heating time
- Soft grip trigger for high comfort
- Adjustable stand
- 2 year guarantee

## EG111



Starter kit including 500 g multi-purpose glue. Ideal for quick repair and fixing around the home.

- 200 g/h glue output
- 10 min heating time
- Adjustable stand
- Incl 500 g multi-purpose glue sticks
- 2 year guarantee

Description	Art. No.	EAN Code	Units
Clamshell incl glue sticks	40303076	3221633028538	5
Clamshell incl glue sticks - UK plug	5000533	4051661018138	5

## EG Point



Reliable, great value and versatile thanks to cordless operation. 8 mm nozzle is ideal for precision work.

- 80 g/h glue output
- 5 min heating time
- Cordless operation enables great flexibility
- 8 mm long precision nozzle for small and precise work
- Integrated stand
- 2 year guarantee

Description	Art. No.	EAN Code	Units
Clamshell - West	5000423	3221633029160	5
Clamshell - East	5000432	3221633029313	5
Clamshell - UK plug	40302915	3221633029153	5
Clamshell - AU/NZ plug	40303002	3221633030029	5

## EG130



Handy, low temperature (130 °C) glue gun designed for home and school use. Ideal for working with sensitive materials.

- 80 g/h glue output
- 5 min heating time
- Low temperature 130 °C for sensitive materials
- Integrated stand
- 2 year guarantee

Description	Art. No.	EAN Code	Units
Clamshell - West	5000435	3221633029191	5
Clamshell - East	5000445	3221633039320	5
Clamshell - AU/NZ plug	40303003	3221633030036	16
Clamshell - UK plug	40303000	3221633030005	5

## ACCESSORIES



### Nozzles

Description	Specification	Art. No.	EAN Code	Units
1. Extended Nozzle	EG320/EG340/EG360/EG380	5000200	4051661007927	1
2. 4 Wide Spread Nozzle	EG320/EG340/EG360/EG380	5000201	4051661007958	1
3. Set of 3 Nozzles	EG250/CG270/EG280/BGX300/EG310/EG330	40107334	3221631073349	10
4. Extra thin nozzle Ø1.2 mm	EG310/EG320	5000489	4051661016509	1

# GLUE STICKS

Hot-melt adhesives have a number of advantages – they're free from toxic components, they don't spill and they provide the best way to long-lasting, quick-drying fastening. In order to cover every application and requirement, Rapid has developed the market's widest range of glue sticks for any application. Our range encompasses technical and professional glue, glue for a wide variety of materials and glue in different colours. So, no matter what you want to bond, to achieve the best possible result, we always recommend Rapid glue sticks.



## TECHNICAL GLUE

These 12 mm glue sticks deliver quality bonding thanks to high resin levels and are perfect for a wide range of professional applications. Available in practical 1 kg, 2.5 kg or 10 kg packs ideal for Pro or Industrial users.

### Assembly



Glue  
Ø12 mm

**PRO**

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302788	3221633027883	1
Ø12 x 190 mm	1 kg	40302787	3221633027876	10

- For a wide range of professional assembly applications on wood, packaging, leather, cork or textile
- 12 mm glue sticks
- Colour: Cream
- Application temperature: 170-190 °C
- Softening point: 80-96 °C
- Open time: 30 sec
- Set time: 30 sec

### Car Repair



Glue  
Ø12 mm

**PRO**

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	51215108	3221630101357	20

- For a wide range of professional applications within the car industry
- 12 mm glue sticks
- Colour: Black
- Application temperature: 170-190 °C
- Softening point: 80-84 °C
- Open time: 25 sec
- Set time: 15 sec

### GEN-T



Glue  
Ø12 mm

**PRO**

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302771	3221633027715	1
Ø12 x 295 mm	2.5 kg	40302800	3221633028002	4
Ø12 x 190 mm	1 kg	40302799	3221633027999	10

- For a wide range of professional applications with paper, cardboard, textile, wood & derivatives
- 12 mm glue sticks
- Colour: Transparent
- Application temperature: 160-200 °C
- Softening point: 81-84 °C
- Open time: 60 sec
- Set time: 30 sec

### Low Temp



Glue  
Ø12 mm

**PRO**

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	40302781	3221633027814	10

- For a wide range of professional applications on delicate materials in need of lower temperatures
- 12 mm glue sticks
- Colour: Transparent
- Application temperature: 130-150 °C
- Softening point: 78-83 °C
- Open time: 25 sec
- Set time: 20 sec

### PAC



Glue  
Ø12 mm

**PRO**

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302791	3221633027913	1

- For a wide range of professional packaging applications
- 12 mm glue sticks
- Colour: Cream
- Application temperature: 170-190 °C
- Softening point: 101-109 °C
- Open time: 8 sec
- Set time: 3 sec



## PRO+



Glue  
Ø12 mm

## PRO

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302779	3221633027791	1
Ø12 x 190 mm	1 kg	40302777	3221633027777	10

- For a wide range of professional applications with plastics, metals, glass, wood and treated surfaces
- 12 mm high performance glue stick
- Colour: Yellow
- Application temperature: 170-190 °C
- Softening point: 80-96 °C
- Open time: 30 sec
- Set time: 30 sec

## PRO-B



Glue  
Ø12 mm

## PRO

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 295 mm	2.5 kg	40302804	3221633028040	4
Ø12 x 190 mm	1 kg	40302803	3221633028033	10

- For a wide range of professional applications such as sanitary, cable, tiles sealant or porous materials
- 12 mm glue sticks
- Colour: White
- Application temperature: 170-190 °C
- Softening point: 80-96 °C
- Open time: 30 sec
- Set time: 30 sec

## PRO-T



Glue  
Ø12 mm

## PRO

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	10 kg	40302775	3221633027753	1
Ø12 x 190 mm	1 kg	40302768	3221633027685	10

- For a wide range of professional applications, on PVC, plastic cables, glass, porous or fibrous materials
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C
- Softening point: 81-84 °C
- Open time: 60 sec
- Set time: 30 sec

## Leather



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	50 g	40107354	3221631073547	10

- Perfect for applications with leather, suede and nubuck
- 12 mm glue sticks
- Colour: Yellow

## Metal



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	50 g	40107352	3221631073523	10
Ø12 x 94 mm	East	50 g	5000693	4051661021510	10

- Perfect for applications with copper, tin, brass, aluminium and iron
- 12 mm glue sticks
- Colour: Grey

## PVC & Cable



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	40107363	3221631073639	10
Ø12 x 190 mm	East	250 g	40107950	7313461079502	10
Ø12 x 94 mm	West	125 g	40107358	3221631073585	10
Ø12 x 94 mm	East	125 g	5000695	4051661021534	10
Ø12 x 94 mm	West	50 g	40107351	3221631073516	10

- Perfect for applications with cables, electric leads, PVC, carpets and floor coverings
- 12 mm glue sticks
- Colour: Transparent

## Sanitary



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	125 g	40107359	3221631073592	10
Ø12 x 94 mm	East	125 g	5000696	4051661021541	10

- Perfect for applications as tiles sealant or on ceramics and sanitary products
- 12 mm glue sticks
- Colour: White

## ECO-T




Glue  
Ø12 mm

Dimension	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	1 kg	40302798	3221633027982	10

- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C

## Multi Purpose



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	40107362	3221631073622	10
Ø12 x 190 mm	East	250 g	40107949	7313461079496	10
Ø12 x 94 mm	West	125 g	40107356	3221631073561	10
Ø12 x 94 mm	East	125 g	40107946	7313461079465	10

- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Color: Transparent
- Application temperature: 160-200 °C

## Textile



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	50 g	40107353	3221631073530	10

- Perfect for applications with cotton, linen, cork and suedine
- 12 mm glue sticks
- Colour: Yellow

## Wood



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 94 mm	West	125 g	40107360	3221631073608	10
Ø12 x 94 mm	East	125 g	40107947	7313461079472	10

- Perfect for applications on wood, chipboard, plywood and decorative mouldings
- Ideal also for applications with balsa, melamine wood and formica
- 12 mm glue sticks
- Colour: Yellow

## White



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	40107361	3221631073615	10
Ø12 x 190 mm	East	250 g	40107951	7313461079519	10
Ø12 x 94 mm	West	125 g	40107355	3221631073554	10
Ø12 x 94 mm	East	125 g	5000694	4051661021527	10

- For a wide range of applications where a white glue is suitable
- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Colour: White

## Black



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	East	250 g	5000211	4051661008276	10

- For a wide range of applications where a black glue is suitable
- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Colour: Black

## Crystal Clear



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	East	500 g	5000212	4051661008283	20
Ø12 x 190 mm	West	250 g	5000626	4051661020193	10
Ø12 x 190 mm	East	250 g	24941300	7313469413001	10

- Ideal for applications where a discreet application of crystal clear glue is suitable
- Can be used on wood, leather, fabrics, cork, plastic materials, faience and cardboard
- 12 mm glue sticks
- Colour: Crystal clear

## Decoration



Glue  
Ø12 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø12 x 190 mm	West	250 g	5000627	4051661020230	10
Ø12 x 190 mm	East	250 g	24941400	7313469414008	10

- Perfect for decoration and arts and crafts
- 12 mm coloured glue sticks
- Colours: Yellow, blue, red

## Multi Purpose



Glue  
Ø7 mm

Dimension	Language version	Content	Art. No.	EAN Code	Units
Ø7 x 100 mm		250 g*	57002006	3221630101098	40
Ø7 x 65 mm	West	125 g	40107350	3221631073509	10
Ø7 x 65 mm	East	125 g	40107948	7313461079489	10

- Perfect for a wide range of decorative applications
- Can be used on with wood, leather, fabrics, cork, plastic and cardboard
- 7 mm multipurpose glue sticks
- Colour: Transparent

\* Plastic bag



### LOW TEMP GLUE

Designed for working with heat sensitive materials at low temperature, these oval glue sticks are the perfect solution for hobby and craft work and other tasks that require a lighter touch but still quality fastening. For extra application versatility, these are available as multi-purpose glue and in coloured glitter form.

## Multi Purpose



Glue  
Oval

Dimension	Language version	Content	Art. No.	EAN Code	Units
Oval x 100 mm	West	500 g	59006007	3221630100534	20
Oval x 94 mm	West	125 g	40107349	3221631073493	10
Oval x 94 mm	East	125 g	5000692	4051661021503	10

- Multi-purpose glue sticks

## Glitter Colour



Glue  
Oval

Dimension	Language version	Content	Art. No.	EAN Code	Units
Oval x 94mm R/B/G	West	125 g	40108462	3221631084628	10
Oval x 94mm R/B/G	East	125 g	5000698	4051661021565	10
Oval x 94mm S/G	West	125 g	40108463	3221631084635	10

- Comes in the colours of red, blue and green glitter or in gold and silver colour version

# HOT AIR GUNS

A hot air gun is a true multi-purpose tool that can assist you in a wide variety of tasks. Rapid offers everything from simpler hot air guns for home and DIY use to advanced products with LCD displays and digital temperature monitors. All our products are safe and easy to use and as always, ergonomics is a key functionality and design factor. The result is tools with perfect balance and handles that reduce operator fatigue and discomfort.

Suitable for: paint removal, moulding metal and plastic pipes, overlapping while welding, loosening screwed-tight joints and rusty nuts and lighting the grill.



## Digit 2000

Description	Art. No.	EAN Code	Units
Box	22819350	7313468193508	10
Box - UK plug	5000699	4051661021923	10
Box - CH plug	5000708	4051661022104	10

Digit 2000 Hot Air Gun delivers precision performance and optimal results even when subject to frequent, demanding use. Features a digital LCD display for exact, variable temperature setting. Ideal for shrinking or removal of paint, welding or desoldering.

- Power: 2000 W
- Temperature range 60-550 °C
- Airflow 185-280 l/min
- Digital LCD display for exact, variable temperature setting
- Memory function retain last temperature setting
- Patented retractable heat guard
- Vertical position protection
- Cool Air Stage
- Overheating protection
- Anti-Slip Softgrip
- 2 year guarantee



## Regulator 2000

Description	Art. No.	EAN Code	Units
Box	21898000	7313468980009	10
Box - UK plug	5000700	4051661021930	10
Box - CH plug	5000706	4051661022081	10
Case*	21898010	7313468980108	5
Case* - CH plug	5000707	4051661022098	5

Perfect hot air gun for shrinking plastic pipes during plumbing work or for paint removal. Graduated, stepless temperature control offers precise heat application. For demanding users seeking professional performance levels.

- Power: 2000 W
- Temperature range 60-600 °C
- Airflow 500 l/min
- Graduated, stepless temperature control
- Cool Air Stage
- Overheating protection
- Anti-Slip Softgrip
- 2 year guarantee

\*incl paint scrapers and 4 nozzles



## Accelerator 2000

Description	Art. No.	EAN Code	Units
Box	21897800	7313468978006	10
Box - UK plug	5000701	4051661021947	10
Box - CH plug	5000705	4051661022074	10
Case*	23389821	7313463898217	5
Case* - CH plug	5000709	4051661022111	5

Easy to use, multi-application hot air gun, ideal for renovation tasks or paint removal. Delivers great results even under intense use.

- Power: 2000 W
- Temperature settings: 45 °C/550 °C
- Airflow 500 l/min
- Cool Air Stage
- Overheating protection
- Anti-Slip Softgrip
- 2 year guarantee

\*incl paint scrapers and 4 nozzles



## Thermal 1800

Description	Art. No.	EAN Code	Units
Case*	5000638	4051661020575	5
Case* - CH plug	5000767	4051661023392	5

Hot Air Gun perfect for lighter home or DIY use. Versatile performance thanks to 2-stage temperature and airflow control.

- Power: 1800 W
- Temperature settings: 400-600 °C
- Airflow 250-500 l/min
- Soft grip handle
- Overheating protection
- Case including 2 paint scrapers and 2 nozzles
- 2 year guarantee

\*incl paint scrapers and 2 nozzles



## Thermal 1600

Description	Art. No.	EAN Code	Units
Box	24359800	7313463598001	4
Box - UK plug	5000702	4051661021954	4
Box - CH plug	5000710	4051661022128	4

Ideal for all kinds of light DIY and home jobs such as defrosting freezers, waxing skis, removing stickers etc.

- Power: 1600 W
- Temperature settings: 60 °C/550 °C
- Airflow 280 l/min
- Cool Air Stage
- Overheating protection
- 2 year guarantee

## ACCESSORIES



### Reduction Nozzle

Description	Art. No.	EAN Code	Units
Reduction Nozzle 9 mm	24928500	7313469285004	1
Reduction Nozzle 14 mm	5000207	4051661008115	1
Reduction Nozzle 20 mm	212148	7313462121484	1

Reduces the width of the airflow. Creates a narrowly directed jet ideal for gluing edges, soft soldering and removing paint in tight corners. Available in three different top diameters.



### Glass Protection Nozzle

Description	Art. No.	EAN Code	Units
Glass Protect Nozzle 50 mm	212149	7313462121491	1
Glass Protect. Nozzle 75 mm	24928600	7313469286001	1

Protects glass from cracking as a result of overheating by providing more accurate direction of the flow of air. Ideal for removing paint from window frames. Available in two different widths.



### Wide-Slot Nozzle

Description	Art. No.	EAN Code	Units
Wide-Slot Nozzle 45 mm	212151	7313462121514	1
Wide-Slot Nozzle 75 mm	24928700	7313469287008	1

Creates a wide spread of the airflow when working on surfaces. Ideal for more efficient faster working when removing paint, repairing tarred roofing paper, shaping plastic and much more. Available in two different widths.



## Reflector Nozzle

Description	Art. No.	EAN Code	Units
Reflector Nozzle	212150	7313462121507	1
Reflector Nozzle + Shrink Tubing Set	5000209	4051661008139	1

Heats up all around the material by reflecting the hot airflow. Provides uniform heating all around the pipe. Ideal when soldering thin pipes, shaping PVC or shrinking shrink tubes.



## Shrink Tubings

Description	Art. No.	EAN Code	Units
Shrink Tubings Set 1, 1,5-5 mm	24947400	7313469474002	1
Shrink Tubings Set 2, 5-10 mm	24947500	7313469475009	1
Shrink Tubings Set 3, 3-12 mm	5000208	4051661008122	1

Ideal for shrinking onto cable terminals, breaks or looms. Optimal use together with a reflector nozzle. Available in three sets with different shrink tubing diameters.



## Paint Scraper Set

Description	Art. No.	EAN Code	Units
Paint Scraper Set	5000210	4051661008146	1

Handy Paint Scraper set for all types of paint removal. Supplied in 5 parts, including spatula and 3 replaceable cutting blades designed for different surfaces.



# RIVETING

Riveting pliers for blind rivets and blind rivet nuts are developed for the fastening of tough and hard materials where the back is inaccessible. Rapid offers a number of products that have been constructed with attention to ergonomics, user friendliness and powerful performance. To ensure the correct dimensions, every pack of blind rivets or blind rivet nuts comes complete with a corresponding drill. Our riveting plier product range also includes punch pliers and eyelet pliers.



## RP110



Description	Art. No.	EAN Code	Units
Clamshell - West	5000669	4051661021022	5
Clamshell - East	5000731	4051661022784	5

A rivet nut insertion tool designed to provide a solution when fastening materials together without access to the rear to tighten a bolt. With this tough, die cast aluminium tool, you can insert M3, M4, M5 and M6 rivet nuts – internally threaded tubular rivets.

- For M3, M4, M5, M6 rivet nuts
- Integrated wrench
- Strong metal jaws
- Soft grip handle
- 3 year guarantee

## RP100



Description	Art. No.	EAN Code	Units
Clamshell - West	5000374	4051661013348	5
Clamshell - East	5000526	4051661017872	5

Precision, heavy-duty hand riveter featuring an outstanding, fatigue-reducing Power Reduction technology. Designed for intensive use even with the hardest stainless steel rivets.

- For 3.2, 4.0 and 4.8 mm aluminium and stainless steel rivets
- Power reduction mechanism
- Integrated rivet pin receiver
- Integrated wrench
- Light, aluminium die cast body
- Strong metal jaws
- Soft grip handle
- 5 year guarantee

## RP60



Description	Art. No.	EAN Code	Units
Clamshell - West	5000375	4051661013355	5
Clamshell - East	5000525	4051661017834	5

For riveting work in narrow or confined spaces, the RP60 hand riveter delivers precision performance, reliability and great results. A 360° pivoting head offers true versatility.

- For 3.2, 4.0 and 4.8 aluminium rivets
- 360° pivoting head
- Integrated wrench
- Light, aluminium die cast body
- Strong metal jaws
- Soft grip handle
- 3 year guarantee

## RP40



Description	Art. No.	EAN Code	Units
Clamshell - West	5000373	4051661013331	5
Clamshell, - East	5000524	4051661017797	5

Versatile, great value, multi-purpose hand riveter. Designed for use with both aluminium and steel rivets.

- For 3.2 and 4.0 stainless steel rivets
- For 3.2, 4.0 and 4.8 aluminium rivets
- Wrench included
- Strong metal jaws
- Soft grip handle
- 3 year guarantee

## RP10



Description	Art. No.	EAN Code	Units
Clamshell - West	5000376	4051661013362	5
Clamshell - East	5000523	4051661017759	5

Enjoy fast, trouble-free riveting. This handy kit includes 100 rivets to get you started straight away.

- For 3.2, 4.0 and 4.8 aluminium rivets
- Integrated wrench
- Soft grip handle
- Includes 100 rivets
- 2 year guarantee



## RP05 Eyelet Plier



Description	Art. No.	EAN Code	Units
Clamshell incl 100 Eyelets - West	5000407	4051661013676	5
Clamshell incl 100 Eyelets - East	5000522	4051661017711	5

Eyelet pliers with integrated hole punch function. Ideal for use on leather, shoes, canvas and much more.

- For 4.0 mm eyelets
- Integrated hole punch function
- Strong metal parts
- Chrome finishing
- Includes a 100 pack of 4 mm eyelets
- 2 year guarantee



## RP03 Leather Punch

Description	Art. No.	EAN Code	Units
Clamshell - West	5000408	4051661013683	5
Clamshell - East	5000521	4051661017674	5

Versatile, great value leather punch set for leather, textile and plastic application. Easy to handle, designed for frequent usage and delivers great results.

- Punches holes from 2.5 to 4.5 mm in diameter
- Rotating head to select the correct diameter
- Strong metal parts
- Chrome finishing
- 2 year guarantee



## Rivet Nuts

Description	Specification	Pcs	Art. No.	EAN Code	Units
M3	Galvanized	20	5000670	4051661021046	5
M4	Galvanized	20	5000671	4051661021060	5
M5	Galvanized	20	5000672	4051661021084	5
M6	Galvanized	20	5000673	4051661021107	5



- Apply where the use of a tapped thread is impractical or impossible
- Can be anchored entirely from one side
- Removes the need for a traditional bolt on the 'rear' of the materials being fastened together.
- Increases working efficiency by allowing the user to complete the job from one side.
- Ideal also for fastening materials with a low grip range (under 3 mm).
- A drill of correct size is included in the packaging



## High Performance Rivets

Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	50	5000383	4051661013430	5
Ø4 x 12 mm	Aluminium	50	5000384	4051661013447	5
Ø4 x 14 mm	Aluminium	50	5000385	4051661013454	5
Ø4 x 18 mm	Aluminium	50	5000386	4051661013461	5
Ø4.8 x 10 mm	Aluminium	50	5000387	4051661013478	5
Ø4.8 x 12 mm	Aluminium	50	5000388	4051661013485	5
Ø4.8 x 14 mm	Aluminium	50	5000389	4051661013492	5
Ø4.8 x 16 mm	Aluminium	50	5000390	4051661013508	5
Ø4.8 x 20 mm	Aluminium	50	5000391	4051661013515	5
Ø4.8 x 25 mm	Aluminium	50	5000392	4051661013522	5





- High performance, aluminium rivets
- Perfect for securing material which may be in exposed places
- Use effectively on mudguards, metal and plastic covering, signage and metal sheeting
- A drill of correct size is included in the packaging

# RIVETS

## Choose rivet size

Measure the thickness of materials to bond = grip range



Ø mm	Your measured Grip Range	Required rivet height
3,2	2–4 mm	8 mm
4,0	2–5 mm	8 mm
4,0	6–9 mm	12 mm
4,0	8–10 mm	14 mm
4,0	9–12 mm	16 mm
4,0	12–15 mm	18 mm
4,8	4–7 mm	10 mm
4,8	6–9 mm	12 mm
4,8	8–11 mm	14 mm
4,8	9–12 mm	16 mm
4,8	12–14 mm	18 mm
4,8	14–16 mm	20 mm
4,8	19–22 mm	25 mm




## XL Rivets

Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	50	5000659	4051661020827	5
Ø4 x 10 mm	Aluminium	50	5000660	4051661020841	5
Ø4 x 12 mm	Aluminium	50	5000661	4051661020865	5
Ø4 x 16 mm	Aluminium	40	5000662	4051661020889	5
Ø4 x 18 mm	Aluminium	40	5000663	4051661020902	5
Ø4.8 x 12 mm	Aluminium	40	5000664	4051661020926	5
Ø4.8 x 16 mm	Aluminium	40	5000665	4051661020940	5
Ø4.8 x 18 mm	Aluminium	40	5000666	4051661020964	5
Ø4.8 x 20 mm	Aluminium	25	5000667	4051661020988	5
Ø4.8 x 30 mm	Aluminium	25	5000668	4051661021008	5



- High performance, aluminium rivets with a wider, flatter ring
- The extra area this ring creates increases resistance and fastening stability
- Ideal when attaching softer materials such as leather, rubber and plastic to harder materials
- A drill of correct size is included in the packaging



## Waterproof Rivets



Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	50	5000399	4051661013591	5
Ø4 x 12 mm	Aluminium	50	5000400	4051661013607	5
Ø4 x 16 mm	Aluminium	50	5000401	4051661013614	5
Ø4.8 x 14 mm	Aluminium	50	5000402	4051661013621	5



- Waterproof rivets featuring a head that is a single unit without joints
- Ensures no leakage occurs between the bonded materials
- Ideal for securing waterspouts, gutters, roofing, shower panels and other tasks such as greenhouse repair work
- A drill of correct size is included in the packaging



## Automotive Rivets



Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø4 x 12 mm	Aluminium	50	5000405	4051661013652	5
Ø4.8 x 12 mm	Aluminium	50	5000406	4051661013669	5
Ø4 x 16 mm	Aluminium - Blue, Yellow, Black & White	32	5000403	4051661013638	5
Ø4.8 x 16 mm	Aluminium - Blue, Yellow, Black & White	32	5000404	4051661013645	5



- High quality, coloured rivets
- Specifically designed for effective, discreet fastening and automotive repair work
- Use effectively on license plates, motorbikes, RVs, trailers and other vehicles
- A drill of correct size is included in the packaging



## Stainless Steel Rivets



Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Stainless steel	50	5000393	4051661013539	5
Ø4 x 12 mm	Stainless steel	50	5000394	4051661013546	5
Ø4 x 14 mm	Stainless steel	50	5000395	4051661013553	5
Ø4.8 x 10 mm	Stainless steel	50	5000396	4051661013560	5
Ø4.8 x 18 mm	Stainless steel	50	5000397	4051661013577	5
Ø4.8 x 25 mm	Stainless steel	50	5000398	4051661013584	5



- Stainless steel A2 Class, AISI 304 quality
- Extra hard material ensures a strong bond designed to exceed the lifetime of the bonded material
- Specifically created for outside use or application in humid or damp environments
- Ideal for license plate fastening, mudguards, metal coverings, greenhouses, lawnmowers or sheet metal roofing
- A drill of correct size is included in the packaging



## Standard Rivets



Description	Specification	Pcs	Art. No.	EAN Code	Units
Ø3.2 x 8 mm	Aluminium	100	5000377	4051661013379	10
Ø4 x 8 mm	Aluminium	100	5000378	4051661013386	10
Ø4 x 12 mm	Aluminium	100	5000379	4051661013393	10
Ø4.8 x 10 mm	Aluminium	100	5000380	4051661013409	10
Ø4.8 x 14 mm	Aluminium	100	5000381	4051661013416	10
Ø4.8 x 16 mm	Aluminium	100	5000382	4051661013423	10



- Standard rivets
- Designed for applications such as metal sheet work, automotive repair and decoration



## Eyelets

Description	Specification	Pcs	Art. No.	EAN Code	Units
4 mm	Aluminium	100	5000409	4051661013690	5
6 mm	Aluminium	25	5000410	4051661013706	5
8 mm	Aluminium	25	5000411	4051661013713	5



- High quality eyelets
- Specifically created for effective application on textiles, leather, shoes and canvas
- Including fixing system (6-8 mm eyelets)



## Grommets

Description	Specification	Pcs	Art. No.	EAN Code	Units
10 x 21 mm	Aluminium	25	5000412	4051661013720	5
12 x 23 mm	Aluminium	25	5000413	4051661013737	5



- Tough, long lasting grommets
- Ideal for reinforcing holes in a wide range of material
- Use effectively on cloth, tarpaulin, oilskin, leather and much more
- The perfect solution for shoelace eyelets, jackets, belts, luggage, plastic sheeting, laminated paper etc
- Including fixing system



## Tubular Rivets

Description	Specification	Pcs	Art. No.	EAN Code	Units
7 x 3 x 9 mm, Cap 7 x 3	Aluminium	25	5000414	4051661013744	5
8 x 3 x 9 mm, Cap 8 x 3	Aluminium	25	5000415	4051661013751	5
9 x 3 x 13 mm, Cap 10 x 3	Aluminium	25	5000416	4051661013768	5



- Perfect for a wide range of tasks
- Use for jeans decoration, repairing pockets or belt loops or textile and leather fixing
- Including fixing system

# GARDEN TOOLS


In our outdoors range, Rapid offers a variety of high quality garden pliers that facilitate efficient, neat fastening of plants, vines or garden fences. Our pliers have all been designed with the highest attention to ergonomics and functional design and hog rings are available in a number of different dimensions and coatings to accommodate any situation or requirement.



## GARDEN PLIERS



### GP238

 **Hog Ring**  
6–11–16 mm

Description	Art. No.	EAN Code	Units
Clamshell	24311200	7313463112009	12


Great value pliers designed to make garden work easier and more comfortable. Ideal for fixing young plants, securing branches or attaching netting. Handy 3-position locking function means that securing can be made without damaging the plant.

- Delivers a closing diameter of 2, 8 and 16 mm
- Optimal performance with VR38 hog rings
- 3-position locking function
- Quick load magazine
- Ergonomic soft grip handle
- Handle lock for easy storage
- 2 year guarantee

## FENCE PLIERS



### FP222

 **Hog Ring**  
5–11 mm


Description	Art. No.	EAN Code	Units
Clamshell	23468100	7313464681009	5

For more demanding garden tasks such as fixing thicker wire netting or chain link fencing, these fence pliers are a tough, reliable solution that delivers great results.

- Delivers a closing diameter of 5-11 mm
- Optimal performance with VR22 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Handle lock for easy storage
- 2 year guarantee



### FP216

 **Hog Ring**  
2–8 mm

Description	Art. No.	EAN Code	Units
Clamshell	23467900	7313464679006	10

Reliable, easy-to-use fence pliers. Ideal for securing fencing and other applications in narrow or tight spaces.

- Delivers a closing diameter of 2-8 mm
- Optimal performance with VR16 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Handle lock for easy storage
- 2 year guarantee



### FP20

 **Hog Ring**  
5–11 mm

 **Hog Ring**  
2–8 mm

Description	Art. No.	EAN Code	Units
Clamshell	23468000	7313464680002	10

Versatile, great value and easy-to-use fence pliers. Ideal for a number of applications, including fixing wire netting to fence wire. Magazine-free operation.


- Can deliver a closing diameter up to 11 mm
- Optimal performance with VR16 and VR22 hog rings
- Magazine free operation
- Ergonomic soft grip handle
- Handle lock for easy storage
- 2 year guarantee



## VINE PLIERS



### LIG175



Description	Art. No.	EAN Code	Units
Box	40107754	3221631077545	8

Professional standard, durable vine pliers featuring a high capacity magazine and precision performance. Ideal for securing large branches.

- Delivers a closing diameter of 6-20 mm
- Optimal performance with C75 and C85 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Hardened steel for best durability
- 2 year guarantee



### LIG150




Description	Art. No.	EAN Code	Units
Box	40107753	3221631077538	8

Professional standard, durable vine pliers with high capacity magazine. Ideal for securing branches.

- Delivers a closing diameter of 4-14 mm
- Optimal performance with C50 hog rings
- High capacity hog ring magazine
- Ergonomic soft grip handle
- Hardened steel for best durability
- 2 year guarantee

## HOG RINGS



These galvanised, high quality hog rings are an effective solution for different outdoor fastening applications.

## Garden Hog rings VR38



Description	Specification	Pcs	Art. No.	EAN Code	Units
6-16 mm	Bright	300	40109236	3221631092364	5

- Galvanised, high quality hog rings
- Designed for use with our GP238 Garden Pliers
- Perfect for securing 6-11-16 mm stalks



## Fence Hog rings VR22 box



Description	Specification	Pcs	Art. No.	EAN Code	Units
5-11 mm	Galvanized	1600	40108810	3221631088107	10
5-11 mm	Galvanized; Green PET coated	1600	40108811	3221631088114	10
5-11 mm	Galvanized; Black PET coated	1600	40017338	3221630173385	10

- Galvanised, high quality hog rings
- An effective solution when fastening high-tension wire onto fencing
- Suitable for use with netting wire 5-11 mm in diameter
- Ideal for securing cages, fencing or protecting young plants
- Also available in green or black plastic coated finish, for discreet fixing of colour fencing



## Fence Hog rings VR22 blister



Description	Specification	Pcs	Art. No.	EAN Code	Units
5-11 mm	Galvanized	1100	40108806	3221631088060	5
5-11 mm	Galvanized; Green PET coated	1100	40108807	3221631088077	5
5-11 mm	Galvanized	215	40108801	3221631088015	10
5-11 mm	Galvanized; Green PET coated	215	40108802	3221631088022	10
5-11 mm	Galvanized; Black PET coated	215	40108804	3221631088046	10



- Galvanised, high quality hog rings
- An effective solution when fastening high-tension wire onto fencing
- Suitable for use with netting wire 5-11 mm in diameter
- Ideal for securing cages, fencing or protecting young plants
- Also available in green or black plastic coated for discreet fixing of colour fencing

## Fence Hog rings VR16



Description	Specification	Pcs	Art. No.	EAN Code	Units
2-8 mm	Galvanized	3190	40108808	3221631088084	13
2-8 mm	Galvanized; Green PET coated	3190	40108809	3221631088091	13
2-8 mm	Galvanized	1390	40108799	3221631087995	5
2-8 mm	Galvanized; Green PET coated	1390	40108800	3221631088008	5
2-8 mm	Galvanized	400	40108796	3221631087964	10
2-8 mm	Galvanized; Green PET coated	400	40108797	3221631087971	10



- Galvanised, high quality hog rings
- An effective solution when fastening high-tension wire onto fencing
- Suitable for use with netting wire 2-8 mm in diameter
- Ideal for securing cages, fencing or protecting young plants
- Also available in green, plastic coated finish, for discreet fixing of colour fencing

## Vine Hog rings C85



Description	Specification	Pcs	Art. No.	EAN Code	Units
6-20 mm	Galvanized	5000	40107761	3221631077613	4



- High quality steel hog rings
- Ideal for securing branches and vine shoots 6-20 mm in diameter

## Vine Hog rings C75



Description	Specification	Pcs	Art. No.	EAN Code	Units
6-18 mm	Galvanized	6000	40107759	3221631077590	4
6-18 mm	Aluminium	6000	40107760	3221631077606	4



- Long-lasting, high resistant vine hog rings
- Ideal for securing branches and vine shoots between 6-18 mm in diameter

## Vine Hog rings C50



Description	Specification	Pcs	Art. No.	EAN Code	Units
4-14 mm	Galvanized	4200	40107757	3221631077576	4
4-14 mm	Aluminium	4200	40107758	3221631077583	4



- High quality hog rings
- Ideal for securing branches and vine shoots between 4-14 mm in diameter

# INDUSTRY & PRINT FINISHING

Our range of electric staplers and stapling pliers is one of the world's best selling – a result of its high quality, outstanding performance and flexible areas of application. With a wide range of potential uses including printing tasks, booklet stapling, packaging and even in florists or other retail outlets, our Industry and Print Finishing products deliver proven Rapid benefits including reliability and precision even under demanding, high-frequency conditions.

## STAPLING PLIERS

### K1



The world's most sold pliers and the florist's favourite. Available in 2 different versions - for Rapid staple No. 24 and for Rapid staple No. 26. For the post room, shops, store, home and office.

- Capacity: 50 sheets (80 gsm paper)
- Available in 2 versions: for Rapid staple No 24 or 26
- Adjustable anvil for stapling and pinning
- Made out of metal with chromed surface
- 5 year guarantee when using Rapid staples

Description	Art. No.	EAN Code	Units
24/6-8+, Box	10510601	7313465106013	40
26/6-8+, Box	10510602	7313465106020	40
24/6-8+, Clamshell	10510628	7313465106280	24
26/6-8+, Clamshell	10510629	7313465106297	24

### 24 Staples Strong




Description	Specification	Pcs	Art. No.	EAN Code	Units
24/6 mm	Galvanized; Strong	1000	24855800	7313468558000	10
24/6 mm	Galvanized; Strong	5000	24859900	7313468599003	5
24/6 mm	Galvanized; Strong; White	5x1000	24860200	7313468602000	5



6 mm 2-30 sheets

### 24 Staples Superstrong



Description	Specification	Pcs	Art. No.	EAN Code	Units
24/6 mm	Stainless; Superstrong	1000	24858100	7313468581008	5
24/8 mm	Stainless; Superstrong	1000	24858300	7313468583002	5
24/8+ mm	Galvanized; Superstrong	1000	24858500	7313468585006	5
24/8+ mm	Galvanized; Superstrong	5000	24860100	7313468601003	35



6 mm 2-30 sheets  
8 mm 2-40 sheets  
8,5 mm 2-50 sheets

### 26 Staples Strong



Description	Specification	Pcs	Art. No.	EAN Code	Units
26/6 mm	Galvanized; Strong	1000	24861400	7313468614003	10
26/6 mm	Galvanized; Strong	5000	24862000	7313468620004	5



6 mm 2-30 sheets

### 26 Staples Superstrong



Description	Specification	Pcs	Art. No.	EAN Code	Units
26/8+ mm	Galvanized; Superstrong	1000	24861600	7313468616007	5
26/8+ mm	Galvanized; Superstrong	5000	24862200	7313468622008	70



8.5 mm 2-50 sheets



### K1 Textile

Description	Art. No.	EAN Code	Units
43/6-8 mm, Box	10520501	7313465205013	10

Same design as world's most sold pliers K1, except without the adjustable anvil, but produced for super fine staples Rapid No 43. Excellent for all work in textiles, professionally or at home.

- Especially produced for all work in textiles
- Nice classic design
- Made out of metal with chromed surface
- 5 year guarantee when using Rapid staples

### 43 Staples Superstrong



Description	Specification	Pcs	Art. No.	EAN Code	Units
43/6 mm	Galvanized; Superstrong	10.000	24872200	7313468722005	70
43/8 mm	Galvanized; Superstrong	10.000	24872300	7313468723002	60



### HD31

Description	Art. No.	EAN Code	Units
Box	10540301	7313465403013	10
2 anvils; Box	10540310	7313465403105	10

Powerful pliers with nickel-plated design and finger stop, ideal for jiffy bags, small boxes etc. Works with 3 different anvils which are easily attached with two screws.

- Capacity: 70 sheets (80 gsm paper)
- Nickel-plated design and finger stop
- Deliver with straight anvil and it is a standard version. Bag anvil is only delivered as accessory.
- 5 year guarantee when using Rapid staples

## 73 Staples Super Strong



Description	Specification	Pcs	Art. No.	EAN Code	Units
73/6 mm	Galvanized; Superstrong	5000	24890200	7313468902001	24
73/8 mm	Galvanized; Superstrong	5000	24890300	7313468903008	18
73/10 mm	Galvanized; Superstrong	5000	24890400	7313468904005	16
73/12 mm	Galvanized; Superstrong	5000	24890800	7313468908003	15



6 mm 2-15 sheets  
8 mm 10-30 sheets  
10 mm 10-40 sheets  
12 mm 40-70 sheets



## S51



Description	Art. No.	EAN Code	Units
Nickel; Box	10538702	7313465353028	5
Black; Box	10538705	7313465353127	5
Blue; Box	10538707	7313465353073	5
White; Box	10538708	7313465353080	5



Handy stapling pliers for home and office with a need for stapling with small staples. Grip friendly and totally in steel with powder spray paint treatment. Available in nickel-plating and several colours.

## 21 Staples Standard



Description	Specification	Pcs	Art. No.	EAN Code	Units
21/4 mm	Galvanized; Standard	2000	24867500	7313468675004	10
21/4 mm	Galvanized; Clamshell	3x1000	24639800	7313466398004	10



4 mm 12 sheets

## 21 Staples Strong



Description	Specification	Pcs	Art. No.	EAN Code	Units
21/4 mm	Galvanized; Strong	1000	24863400	7313468634001	10
21/4 mm	Galvanized; Strong	5000	24867400	7313468674007	5



4 mm 20 sheets

## ELECTRIC STAPLERS



## 105E



Description	Specification	Art. No.	EAN Code	Units
Box - EU plug	66/6-8 mm; 220 V	10870402	7313468704025	1
Box - UK plug	66/6-8 mm; 230 V	10870410	7313468704100	1
Box - CH plug	66/6-8 mm; 220 V	10870417	7313468704179	1
Box - AU/NZ plug	66/6-8 mm; 240 V	10870444	7313468704445	1
Box - BR plug	66/6-8 mm; 115 V	5000253	4051661010194	1
Box - excl. Plug	66/6-8 mm; 220 V	10870445	7313468704452	1

Electric stapler for office and packaging stapling. Fast stapler with slim design for added versatility. Equipped with the power, reliability and versatility demanded by industrial users. Two or more staplers can be linked for simultaneous multi-stapling.

- Capacity: 50 sheets (80 gsm paper)
- Adjustable stapling force
- Adjustable stapling depth 0-102 mm
- Slim design enables it to be installed in a variety of configurations
- Protection visor, cuts the power when lifted
- Serial mounting via opto cables for greater production capacity



## 106E



Description	Specification	Art. No.	EAN Code	Units
Box - EU plug	66/6-8 mm; 220 V	10875302	7313468753023	1
Box - UK plug	66/6-8 mm; 230 V	10875310	7313468753108	1
Box - CH plug	66/6-8 mm; 220 V	10875317	7313468753177	1
Box - AU/NZ plug	66/6-8 mm; 240 V	10875344	7313468753443	1
Box - CN plug	66/6-8 mm; 220 V	10875360	7313468753603	1
Box - BR plug	66/6-8 mm; 115 V	5000254	4051661010217	1
Box - excl. Plug	66/6-8 mm; 220 V	10875345	7313468753450	1

3 staplers in 1 with the same functions as 105E. Equipped with interchangeable insert staplers, the Rapid 106E can handle both flat, saddle stapling and loop stapling (accessories). Suitable for work places where sheets and brochures are to be stapled.

- Capacity: 50 sheets (80 gsm paper)
- Adjustable stapling force
- Maximum stapling depth 220 mm
- 3 staplers in 1 – interchangeable insert staplers
- Protection visor, cuts the power when lifted
- Delivered with wide worktable and pedal
- Serial mounting via opto cables for greater production capacity
- Optional extras: Narrow work table, saddle staple rail, stapling head for loop stapling, opto cables.
- Tested for 500.000 operations

106E Twin Rig				
Description	Specification	Art. No.	EAN Code	Units
Box - EU plug	66/6-8 mm; 220 V	10885202	7313468852023	1
Box - UK plug	66/6-8 mm; 230 V	10885210	7313468852108	1
Box - excl. Plug	66/6-8 mm; 220 V	10885208	7313468852085	1

## 66 Staples Strong



Description	Specification	Pcs	Art. No.	EAN Code	Units
66/6 mm	Galvanized; Strong	5000	24867800	7313468678005	5
66/7 mm	Galvanized; Strong	5000	24867900	7313468679002	5
66/6R for loop stapling (ring)	Galvanized; Strong	5000	11740850	7313469066030	50



6 mm 2-20 sheets  
7 mm 5-30 sheets

## 66 Staples Superstrong



Description	Specification	Pcs	Art. No.	EAN Code	Units
66/8+ mm	Galvanized; Superstrong	5000	24868000	7313468680008	70



8,5 mm 10-50 sheets

## Accessories

Description	Art. No.	EAN Code	Units
Insert Stapler for 105E	10841512	7313468415129	10
Insert Stapler for 106E	10842312	7313468423124	10
Insert Stapler for 106E - loop stapling (ring)	10843112	7313468431129	10
Pedal for 105E	10880302	7313468803025	1
Pedal for 106E	10880311	7313468803117	1
Base for 105E	108811	7313461088115	1
Vice for 105E	178004	7313461780040	1
Saddle runner for 106E	108829	7313461088290	1
Narrow table for 106E	17824412	7313468244125	1
Opto Cable 400 mm for 105E and 106E	17774101	7313467741014	1



Narrow work table (60 mm) with anvil.



Simultaneous stapling action via linked opto cables (40 cm). The staplers are sequence controlled, to avoid overloading the power supply.



R252/106 Stapling head for loop stapling (ring).



Vice (bench clamp) enables stapler to be firmly fixed to work-table if required.



The pedal is ideal for precision stapling in industrial applications. Simple plug-in connection.



The adjustable industrial multi base for mounting up to 4 staplers enables the staplers to be easily moved to another working area.



Special rail for saddle stapling with two or more 106E staplers.



Art.no. **98901637**  
ISABERG RAPID AB, Box 115,  
SE-330 27 HESTRA, SWEDEN

[www.rapid.com](http://www.rapid.com)